



Enquiries to: E Mitsiopoulos
Telephone: (07) 3225 1077/Fax 3248 3278
Your reference:
Our reference: 900551

Environmental Protection Agency

Incorporating the
Queensland Parks and Wildlife Service

Permit to Remove and Dispose of Contaminated Soil

Pursuant to Section 424 of the *Environment Protection Act* 1994 (EP Act) permission is given to the applicant

Mr Scott Young

Queensland Rail

PO Box 1429

BRISBANE QLD 4001

Telephone: 3235 3130

Fax: 3235 2035

to remove and dispose of soil contaminated with

Petroleum Hydrocarbons

from Lysaght Street, ACACIA RIDGE QLD 4114

on Lot 2 on RP94559 and described in the following correspondence:

Application for Disposal Permit received 7 October 2002.

The permit holder is responsible for ensuring that the specific and standard conditions in Schedules 1 and 2 of this permit are complied with by all personnel involved in the excavation, removal and disposal.

Signed

sch 4 - signature

Elissaveth Mitsiopoulos

Principal Environmental Officer

14/10/2002

cc Southern Region (EPA), Luke Zambelli, Fax 3225 8723

cc Brisbane City Council, Matthew Armistead, Fax 3403 7781

Notice to Applicant

The conditions on this permit have been decided after consideration of the standard criteria (EP Act) and for the purpose of preventing environmental harm. The applicant may apply for a review or appeal against the decision within 14 days of receipt of this notice (s521 and s531).

288 Edward Street Brisbane
Queensland 4000 Australia
GPO Box 2771, Brisbane Qld 4001
Telephone (07) 3225 1827
Facsimile (07) 3247 3278
Website www.env.qld.gov.au
ABN 87 221 158 786
Page 1 of 69

Schedule 1 of 2 – Specific Conditions

The volume or mass of the contaminated soil shall not exceed 10 cubic metres.

The soil is to be disposed in accordance with the disposal facility approval letter dated 26/09/2002 at Brisbane City Council, Nudgee Hardfill.

The soil must be disposed between 14/10/2002 and 14/01/2003.

Other Conditions:

Nil.

Released by EHP
RTI Act 2009

Schedule 2 of 2 – Standard Conditions

1. Volume / mass of contaminated soil

This permit applies to the specified volume or mass only. Any increases to the specified quantity will require a new disposal permit.

2. Disposal time period

Disposal must occur within the dates specified or a new disposal permit must be sought.

3. Excavation and loading

The holder of this disposal permit must take all reasonable precautions necessary to prevent the spillage of contaminated soil during loading and prevent contaminated soil being transported from the site of origin on vehicle tyres and plant and equipment.

4. Transportation

(a) *Transporter to be advised of permit conditions*

Prior to the removal of contaminated soil, the permit holder must provide a copy of the permit and conditions to the transporter.

(b) *Load to be secured*

The contaminated soil must be covered in the transportation vehicle to ensure that the contaminated soil or offensive or noxious gases are not released during transport.

(c) *Cleaning of vehicles and plant equipment*

An effective system must be employed for cleaning of vehicles and plant and equipment which are used to transport or handle contaminated soil which prevents release of contaminants onto any roadway or to any waters or stormwater drainage system.

(d) *Spillage*

Any spillage of contaminants must be cleaned up as quickly as practicable. Spillages must not be cleaned up by hosing, sweeping or otherwise releasing such contaminants or material to any stormwater drainage system, roadside gutter or waters.

5. Receival and disposal

(a) *Licence conditions*

The acceptance and disposal of the contaminated soil must comply with the licence conditions and the specific requirements of the disposal facility.

(b) *Disposal receipts*

Copies of disposal acceptance receipts are to be submitted to the Administering Authority within 10 working days of the date of disposal. The holder of, or person acting under a disposal permit, must comply with the conditions of the permit (s425 of the *Environmental Protection Act 1994*).

Maximum penalty - 100 penalty units.

6. Interim storage

Contaminated soil which is temporarily stored at the site of origin or approved for storage at a separate property must be stockpiled and securely covered and/or managed to ensure that:

- (a) rainwater is drained away from the stockpiles;
- (b) contaminated soil is not transported from the stockpile by wind or rainwater;
- (c) offensive odours or noxious gases are not release; and
- (d) soil underlying the stockpiles is not affected by contamination.

A report is to be provided to the Administering Authority within 28 days of final disposal that verifies that the storage area is fully cleared of contamination.

7. Treatment of soil

(a) Licensed facility

When treatment is to be undertaken at a licensed general waste disposal facility or regulated waste treatment and disposal facility, acceptance receipts must be provided to the Administering Authority within 10 days of contaminated soil delivery. The contamination level in the soil must be reduced to a level agreed by the Administering Authority. When contaminated soil is stored at such facility pending treatment, storage is to be undertaken according to condition 6.

(b) Other treatment sites

(i) Soil remediation and validation report.

The permit holder must provide a report of the soil remediation including chemical test results that validate that the contamination has been lowered to levels agreed with the Administering Authority. The report must provide evidence that the land underlying the treatment activity is not affected by contamination.

(ii) Environmental harm.

Treatment activities must be carried out to ensure that environmental harm is not caused and that contaminants including treatment agents are not released from the site by wind, stormwater or as offensive or noxious gases. The requirements of condition 6 also apply.

(c) Final disposal

When soil contamination has been reduced to levels acceptable to the Administering Authority, the soil may be disposed of as general fill unless otherwise specified in Schedule 1. The location of the final disposal site of the soil is to be identified after treatment by written advice to the Administering Authority.

****End of Document****

TRANSACTION REPORT

P. 01

14-OCT-2002 MON 13:17

FOR: CONTAM LAND UNIT - EPA 07 32473278

BROADCAST

DATE	START	RECEIVER	TX TIME	PAGES	TYPE	NOTE	MNO.	DP
14-OCT	13:03	032352035	1' 16"	4	SEND	OK	375	
	13:16	34037781	**' **"	0	SEND	BUSY	375	
TOTAL :						1M 16S	PAGES:	4

Enquiries to: E Mitsiopoulos
 Telephone: (07) 3225 1077/Fax 3248 3278
 Your reference:
 Our reference: 900551



**Queensland
Government**

Environmental Protection Agency
 Incorporating the
 Queensland Parks and Wildlife Service

Permit to Remove and Dispose of Contaminated Soil

Pursuant to Section 424 of the *Environment Protection Act 1994* (EP Act) permission is given to the applicant

Mr Scott Young
 Queensland Rail
 PO Box 1429
 BRISBANE QLD 4001
 Telephone: 3235 3130
 Fax: 3235 2035

to remove and dispose of soil contaminated with
 Petroleum Hydrocarbons
 from Lysaght Street, ACACIA RIDGE QLD 4114

Disposal Permit - Application Review		9/10/02
Source Site		
Address	Acacia Ridge Fuel Facility LYSAGHT STREET ACACIA RIDGE 4114.	
File No.	900551	
Lot + Plan No	Lot 2 on RP 94559	
EMR ID	site not listed → 40468	
ERA 11(a). PP Storage < 500 L.	+ Notifiable Activity	2A- PP+oil storage
CoT	✓	
Plan/Figure	✓	+ sample location
Contamination		
Contaminant	Pb, TPH.	
No. Samples	One	
Contaminant Concentration	<div style="display: flex; justify-content: space-between;"> <div> <u>Pb</u> [Total] = 5 mg/kg [TCLP] = 40.1 ppm. </div> <div> <u>BTEX</u> [] < 0.2 </div> </div>	
Disposal Volume:	10 m ³	
QA/QC - OK:	✓	
CoC, Labs - OK:	<div style="display: flex; justify-content: space-between;"> <div> <u>TPH</u> C8-G < 2 mg/kg C10-GH 118 " C15-C28 4830 C29-C36 352 </div> <div> <u>Total</u> [TCLP] 67 mg/L 254 3560 282 </div> </div>	
Treatment/Disposal Site		
Address	BRISBANE CITY COUNCIL NUDGEE LANDFILL	
Acceptance Letter	26/9/02	
Proposed Action (Treatment/ Disposal)	Disposal	
Acceptance Criteria	unlined landfill TCLP Petroleum HC's 25 mg/L → Matt @ BCC assures that they're happy to accept it b/c:	

- i) it's a small qty
- ii) they'll be blending it with other soil prior to disposal placement.

**Coal & Freight Services
Safety & Compliance Unit**

Level 10
Rail Centre 1
PO Box 1429
Brisbane Q 4001

Telephone
07 3235 3130

Facsimile
07 3235 2035

EPA SOUTHERN REGION	
Correspondence No.	Barcode
5112000/7740	
File No.	PART FOLIO
40055	
Action Officer	Related Items
sch 4 - signature	

Anita Packwood
Senior Environment Officer
Environmental Protection Agency
16th Floor
288 Edward St
BRISBANE QLD 4000



Re: Application for Disposal Permit – Acacia Ridge

Dear Anita,

Enclosed is an application to dispose of approximately 10m³ of contaminated soil from Acacia Ridge Provision Shed. All supporting information is attached.

Please contact my office on the above details should you have further inquiries.

Yours Faithfully,

sch 4 - signature

Scott Young
Group Environmental Advisor
Coal & Freight Services

2 October 2002





Department of
Environment and Heritage

Hazardous Waste and Contaminated Sites Section
Department of Environment and Heritage
PO Box 155
BRISBANE ALBERT STREET
QLD 4002
Ph: (07) 3225 1827 Fax: (07) 3227 8341

Application for Disposal Permit

Section 118ZZF Environmental Protection Act (1994)

Please note: Failure to lodge all required information can result in your application being rejected and returned to you for completion and resubmission.

Important information (please read before completing this form)

A decision on an application will be made within 14 days of receipt, with a further 10 days allowed for preparation of the permit.

Complete the following: (Attach a separate sheet if more space required)

1. Applicant details

(This is the contact person to whom the disposal permit will be sent and to whom all enquiries will be directed)

Contact name SCOTT YOUNG Telephone 3235 3130 Fax 3235 2035
Company name (if applicable) QR
Postal address RAIL CENTRE 1 LEVEL 10 PO BOX 1429 BRISBANE
QLD Postcode 4001

2. Details of site(s) from which soil is to be removed

Has a site investigation report been submitted to the Department of Environment and Heritage (DEH)?

- ☐ Yes DEH file number _____
☒ No

Real Property Description (Lot on Registered Plan) Lot 2 on Plan RP94559

Street address of site(s) LYSAGHT ST, ACACIA RIDGE Q 4114

Copy of current Certificate of Title

- ☒ Enclosed with this application
☐ Submitted previously to DEH within a site investigation report

Has the site been used for a notifiable activity as per Schedule 3 of the Environmental Protection Act 1994?

- ☒ Yes (please specify) ERA 11a - CRUDE OIL OR PETROLEUM PRODUCT STORAGE
HAVING A COMBINED STORAGE CAPACITY 10000L < 500000L
☐ No

Is the site presently being used for a notifiable activity?

- ☒ Yes (please specify) _____
☐ No

Is the site currently on the Environmental Management Register or Contaminated Land Register?

- ☒ Yes
☐ No (if no, a notification form must be submitted to DEH)

Has contaminated soil been removed from this site in the past?

- ☐ Yes (if yes, was an application for off-site disposal sought?) ☐ Yes ☐ No
☒ No



3. Approximate volume (in m³) of soil to be removed (allowing for excavation bulking)

10 m³

Describe how the volume of soil to be removed was calculated 5m long x 2.5m wide x 1/2 m deep.
= 6.25m³ + excavation

4. Dates between which soil will be moved to the disposal location (as per section 118ZZF(7), permits will only be valid between dates stipulated in the disposal permit)

OCT - DEC 2002

5. Justification of request

Reason(s) why on-site treatment or management not proposed SAFETY HAZARD - NO
AVAILABLE SPACE TO REMEDIATE

Will validation sampling be undertaken to confirm that all contaminated soil has been removed? No

6. Description of contamination present in soil to be removed

Contaminants present TPH, VOLATILE TPH/BTEX COMPOUND SURROGATES

Please enclose with your application:

- ☒ Scaled diagram showing soil sampling locations and contamination source(s)
- ☒ Tabulation of soil analysis results
- ☒ TCLP results from relevant soil samples
- ☒ Laboratory reports and sample receipt advices for all soil analyses
- ☒ Explanation of location and depths of samples, how samples were collected, and how sample integrity was maintained.

7. Written acceptance from the owner of site receiving soil

Is the soil being removed to a local government-administered landfill?

- ☒ Yes ☐ Written acceptance from the local government authority is enclosed
- ☐ No (Please complete section 8 of this application form).

Name and address of local government-administered landfill _____

8. Description of site receiving soil (complete this section only if soil not going to a local government-administered landfill)

Real Property Description (Lot on Registered Plan) Lot _____ on Plan _____

Street address of site _____

Local government authority _____

- ☐ Copy of Certificate of Title provided
- ☐ Written acceptance from registered owner of site is enclosed with this application

Edwards, Kylie

From: Saez, Beverley
Sent: Friday, 13 September 2002 14:24
To: Edwards, Kylie
Subject: Search of Lot 2 on RP94559

Corporate Services Group
Property Division

**E-MAIL MESSAGE**

To: Kylie Edwards
Date: 13 September 2002
File Reference: TEN/LA100/A13
Subject: **SEARCH OF LOT 2 ON RP94559**

Kylie,

Please find attached a copy of the current title search for Lot 2 on RP94559.
The format may look a bit odd, but it is a current search as at today.

Beverley Saez
Tenure Control Officer
Tenure Unit

CURRENT TITLE SEARCH
NATURAL RESOURCES & MINES, QUEENSLAND

Request No: 107026651
Search Date: 13/09/2002 2:13 pm Title Reference: 13023165
Date Created: 23/04/1957

Previous Title: 11946030
11946032
11948200
11948201

REGISTERED OWNER

THE COMMISSIONER FOR RAILWAYS



13/09/2002

ESTATE AND LAND

Estate in Fee Simple

LOT 2 REGISTERED PLAN 94559

County of STANLEY Parish of YEERONGPILLY

Local Government: BRISBANE

EASEMENTS, ENCUMBRANCES AND INTERESTS

1. Rights and interests reserved to the Crown by
Deed of Grant No. 10339210 (POR 389)

ADMINISTRATIVE ADVICES - NIL

UNREGISTERED DEALINGS - NIL


CERTIFICATE OF TITLE ISSUED - No

** End of Current Title Search **

COPYRIGHT THE STATE OF QUEENSLAND (NATURAL RESOURCES & MINES) [2002]

Released by EHP
RTI Act 2009





STANDARD MAP NUMBER
9542-44313

MAP WINDOW POSITION

13°11'17"
27°39'14"

NEAREST LOCALITY

ACACIA RIDGE
1.07 km

MAP DESCRIPTION

LOCAL GOV'T
BRISBANE
ACACIA RIDGE
YEERONGPILLY
PARISH
COUNTY

ALTERATIONS

AMEND	DETAILS	DATE

DRAWN: K.MATTHEWS 2/2000
CHECKED: K.MILTON 2/3/2000

CAP FILE: CPCL100(A13)

T100-513-01 1-2.cdr

QUEENSLAND RAIL

PROPERTY DIVISION




BRISBANE CITY
ACACIA RIDGE YARD

TAP CODE
T100/513

SHEET 2 OF 2 SHEETS

ISSUE

1



STANDARD MAP NUMBER
9542-44341

MAP WINDOW POSITION

153°01'00"
27°34'30"

NEAREST LOCALITY

ACACIA RIDGE
1.19 KM

0 100 200 300 400 500 m
HORIZONTAL DATUM - AGD84 SCALE 1:5000

MAP DESCRIPTION		ALTERATIONS	
LOCAL GOV'T	BRISBANE	AMEND	DATE
LOCALITY	ACACIA RIDGE		
PARISH	YEERONGPILLY		
COUNTY	STANLEY		
CAP FILE C:\C\100(A13) T100-513-01 1-2.cdr		DRAWN: K.MATTHEWS 2/2000	
		CHECKED: K.MILTON 2/3/2000	

QUEENSLAND RAIL



BRISBANE CITY
ACACIA RIDGE YARD
PART OF LINE SECTION - 513


PROPERTY DIVISION

TAP CODE
T100/513
SHEET 1 OF 2 SHEETS
ISSUE

BLINMAP
A Product of the Basic Land Information Network
Based upon an extraction from the
Digital Cadastral Data Base
(c) Department of Natural Resources, 1996

SHUNTERS
OFFICE

ACACIA RIDGE PROVISIONING OPERATIONS SHED
2 RP 94559



1cm = 1m

→ N

-  APPROX'LY 6m³ CONTAMINATED SOIL TO BE REMOVED FROM WHICH SAMPLES WERE TAKEN + ANALYSED.
-  FUEL POINT - CONTAMINANT SOURCE


COLLEX


COLLEX PTY LIMITED A.B.N. 20 051 316 584

PO Box 933 ARCHERFIELD QLD 4108

Telephone: (07) 3275 0111-ADMIN (07) 3275 0175-OPERATIONS/SALES

Facsimile: (07) 3275 2303-ADMIN (07) 3275 0101 or 3275 3774 -OPERATIONS/SALES

TO:	QLD RAIL
ATTENTION:	KYLIE EDWARDS
FAX NO:	32352207
FROM:	COLIN McARDE
DATE:	11-9-02
SUBJECT:	WASTE
TOTAL PAGES SENT (including cover page):	

If there have been any problems receiving this transmission PLEASE CONTACT US IMMEDIATELY

Information contained in this facsimile may be confidential information and may also be the subject of legal professional privilege. If you are not the intended recipient, any use, disclosure or copying of this document is unauthorised. If you have received this document in error, please immediately notify us by telephone on (07) 3275 0111 and return the document by mail. Prices quoted on this document are EXCLUSIVE of GST, unless otherwise stated.

KYLIE - COPY OF ANALYSIS ATTACHED
Also Price for Analysis + Bin
Includes TIPPING, LINER + Driveway
@ \$895.00 + GST
\$300.00 Analysis
\$395.00 + GST to transport soil
REGARDS
sch 4 - signature
30/9/02 - Invoice being faxed. (Darryl)

**ALS Environmental****CERTIFICATE OF ANALYSIS**

CONTACT: MR D CORBETT
CLIENT: COLLEX PTY LTD
ADDRESS:
P O BOX 933
ARCHERFIELD QLD 4108
ORDER No.: 27
PROJECT: QLD RAIL A/RIDGE

BATCH: EB47903
SUB BATCH: 0
LABORATORY: BRISBANE
DATE RECEIVED: 07/08/2002
DATE COMPLETED: 28/08/2002
SAMPLE TYPE: SOIL
No. of SAMPLES: 1

COMMENTS

Results apply to sample(s) as submitted. Samples as received digested by USEPA method 200.2 (modified) prior to the determination of metals. Results reported on a dry weight basis. Lead conducted by ALS Sydney, NATA Accreditation No. 10918.

NOTES

This is the Final Report and supersedes any preliminary reports with this batch number. All pages of this report have been checked and approved for release.

ISSUING LABORATORY: BRISBANE

Address
32 Shand Street
Stafford QLD 4053
Australia

Phone: 61-7-3243 7222
Fax: 61-7-3243 7218
Email: geoff.lecornu@alsenviro.com

Signatory

sch 4 - signature

LABORATORIES**AUSTRALASIA**

Brisbane
Melbourne
Sydney
Newcastle
Auckland

Hong Kong
Singapore
Kuala Lumpur
Bogor
Mumbai

AMERICAS

Vancouver
Santiago
Antofagasta
Lima

This Laboratory is accredited by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of accreditation. This document shall not be reproduced except in full.



No. 825

Batch: EB47903
 Sub Batch: 0
 Date of Issue: 28/08/2002
 Client: COLLEX PTY LTD
 Client Reference: QLD RAIL A/RIDGE

CERTIFICATE OF ANALYSIS



		SAMPLE IDENTIFICATION									
		Laboratory I.D.		1							
		Date Sampled									
METHOD	ANALYSIS DESCRIPTION	UNIT	LOR	Contamina- ted Sand							
EA-055	Moisture Content (dried @ 103°C)	%	0.1	3.5							
EG-005T	Lead - Total	mg/kg	1	5							

Released by EHP
RTI Act 2009

Batch: EB47903
 Sub Batch: 0
 Date of Issue: 28/08/2002
 Client: COLLEX PTY LTD
 Client Reference: QLD RAIL A/RIDGE

QUALITY CONTROL REPORT



				SAMPLE IDENTIFICATION									
				Laboratory I.D.	200	201							
				Date Sampled									
METHOD	ANALYSIS DESCRIPTION	UNIT	LOR	Method Blank 1	Inorg 1 LCS % Rec								
				CHECKS AND SPIKES									
EA-055	Moisture Content (dried @ 103°C)	%	0.1	---	---								
EG-005T	Lead - Total	mg/kg	1	<1	96.0%								

Released by EHP
 RTI Act 2009

11-9-09 11:55
 4617 32753774
 4/04

ALS Environmental

CERTIFICATE OF ANALYSIS

CONTACT: MR D CORBETT
CLIENT: COLLEX PTY LTD
ADDRESS:
P O BOX 933
ARCHERFIELD QLD 4108
ORDER No.: 27
PROJECT: QLD RAIL A/RIDGE

BATCH: EB47903
SUB BATCH: 1
LABORATORY: BRISBANE
DATE RECEIVED: 07/08/2002
DATE COMPLETED: 28/08/2002
SAMPLE TYPE: TCLP LEACHATE
No. of SAMPLES: 1

COMMENTS

Results apply to sample(s) as submitted. The concentrations reported are those determined on the TCLP leachate. Extraction fluid #1 pH 4.88-4.98. TCLP conducted by ALS Sydney, NATA Accreditation No. 10918.

NOTES

This is the Final Report and supersedes any preliminary reports with this batch number. All pages of this report have been checked and approved for release.

ISSUING LABORATORY: BRISBANE

Address
32 Shand Street
Stafford QLD 4053
Australia

Phone: 61-7-3243 7222
Fax: 61-7-3243 7218
Email: geoff.lecornu@alsenviro.com

Signatory

sch 4 - signature

LABORATORIES

AUSTRALASIA

Brisbane
Melbourne
Sydney
Newcastle
Auckland
Hong Kong
Singapore
Kuala Lumpur
Bogor
Mumbai

AMERICAS

Vancouver
Santiago
Antofagasta
Lima

This Laboratory is accredited by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of accreditation. This document shall not be reproduced except in full.



Batch: EB47903
 Sub Batch: 1
 Date of Issue: 28/08/2002
 Client: COLLEX PTY LTD
 Client Reference: QLD RAIL A/RIDGE

CERTIFICATE OF ANALYSIS



METHOD	ANALYSIS DESCRIPTION	SAMPLE IDENTIFICATION									
		Laboratory I.D.		1							
		Date Sampled									
		UNIT	LOR	Contamina- ted Sand							
ALS1	Initial pH		0.1	5.7							
ALS2	After HCl pH		0.1	1.6							
ALS3	Extraction Fluid Number		1	1							
ALS4	pH After Extract		0.1	5.0							
EG-005C	Lead - TCLP	mg/L	0.1	<0.1							

Released by EHP
RTI Act 2009

Batch: EB47903
 Sub Batch: 1
 Date of Issue: 28/08/2002
 Client: COLLEX PTY LTD
 Client Reference: QLD RAIL A/RIDGE

QUALITY CONTROL REPORT



				SAMPLE IDENTIFICATION									
				Laboratory I.D.	200	201							
				Date Sampled									
METHOD	ANALYSIS DESCRIPTION	UNIT	LOR	Method Blank 1	Inorg 1 LCS % Rec								
				CHECKS AND SPIKES									
ALS1	Initial pH		0.1	---	---								
ALS2	After HCl pH		0.1	---	---								
ALS3	Extraction Fluid Number		1	1	---								
ALS4	pH After Extract		0.1	4.9	---								
EG-005C	Lead - TCLP	mg/L	0.1	<0.1	109%								

Released by EHP
 RTI Act 2009

ALS Environmental

CERTIFICATE OF ANALYSIS

CONTACT: MR D CORBETT
CLIENT: COLLEX PTY LTD
ADDRESS:
P O BOX 933
ARCHERFIELD QLD 4108
ORDER No.: 27
PROJECT: QLD RAIL A/RIDGE

BATCH: EB47903
SUB BATCH: 2
LABORATORY: BRISBANE
DATE RECEIVED: 07/08/2002
DATE COMPLETED: 28/08/2002
SAMPLE TYPE: SOIL
No. of SAMPLES: 1

COMMENTS

Sample analysed on an as received basis. Results reported on a dry weight basis. All analysis and Laboratory QC conducted in accordance with Schedule B(3) NEPM Guideline on Laboratory Analysis of Potentially Contaminated Soil (December 1999). Analysis conducted by ALS Sydney, NATA Accreditation No. 10918.

NOTES

This is the Final Report and supersedes any preliminary reports with this batch number. All pages of this report have been checked and approved for release.

ISSUING LABORATORY: BRISBANE

Address
32 Shand Street
Stafford QLD 4053
Australia

Phone: 61-7-3243 7222
Fax: 61-7-3243 7218
Email: geoff.lecornu@alsenviro.com

Signatory

sch 4 - signature

LABORATORIES

AUSTRALASIA

Brisbane
Melbourne
Sydney
Newcastle
Auckland
Hong Kong
Singapore
Kuala Lumpur
Bogor
Mumbai

AMERICAS

Vancouver
Santiago
Antofagasta
Lima

This Laboratory is accredited by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of accreditation. This document shall not be reproduced except in full.



Batch: EB47903
 Sub Batch: 2
 Date of Issue: 28/08/2002
 Client: COLLEX PTY LTD
 Client Reference: QLD RAIL A/RIDGE

CERTIFICATE OF ANALYSIS



				SAMPLE IDENTIFICATION							
				Laboratory I.D.	1						
				Date Sampled							
METHOD	ANALYSIS DESCRIPTION	UNIT	LOR	Contamina- ted Sand							
EA-055	Moisture Content (dried @ 103°C)	%	0.1	3.5							
EP-071-SS	TOTAL PETROLEUM HYDROCARBONS										
EP-071-SS	C6 - C9 Fraction	mg/kg	2	<2							
EP-071-SS	C10 - C14 Fraction	mg/kg	50	118							
EP-071-SS	C15 - C28 Fraction	mg/kg	100	4830							
EP-071-SS	C29 - C36 Fraction	mg/kg	100	352							
EP-080-SS	BTEX										
EP-080-SS	Benzene	mg/kg	0.2	<0.2							
EP-080-SS	Toluene	mg/kg	0.2	<0.2							
EP-080-SS	Chlorobenzene	mg/kg	0.2	<0.2							
EP-080-SS	Ethylbenzene	mg/kg	0.2	<0.2							
EP-080-SS	meta- & para-Xylene	mg/kg	0.2	<0.2							
EP-080-SS	ortho-Xylene	mg/kg	0.2	<0.2							
EP-080S-SS	VOLATILE TPH/BTEX COMPOUND SURROGATES										
EP-080S-SS	1,2-Dichloroethane-D4	%	1	116							
EP-080S-SS	Toluene-D8	%	1	109							
EP-080S-SS	4-Bromofluorobenzene	%	1	101							

Batch: EB47903
 Sub Batch: 2
 Date of Issue: 28/08/2002
 Client: COLLEX PTY LTD
 Client Reference: QLD RAIL A/RIDGE

QUALITY CONTROL REPORT



				SAMPLE IDENTIFICATION									
		Laboratory I.D.		100	101	102	103	104					
		Date Sampled		07/08/2002	07/08/2002	07/08/2002	07/08/2002	07/08/2002					
		METHOD		METHOD	NTPHT3458	NTPHT3458	NTPHT3458	NTPHT3458					
METHOD	ANALYSIS DESCRIPTION	UNIT	LOR	BLANK	SCS	DCS	MS	MSD					
				CHECKS AND SPIKES									
EA-055	Moisture Content (dried @ 103°C)	%	0.1	---	---	---	---	---					
EP-071-SS	TOTAL PETROLEUM HYDROCARBONS												
EP-071-SS	C6 - C9 Fraction	mg/kg	2	<2	97.0%	105%	104%	109%					
EP-071-SS	C10 - C14 Fraction	mg/kg	50	<50	95.0%	94.0%	103%	111%					
EP-071-SS	C15 - C28 Fraction	mg/kg	100	<100	103%	102%	100%	109%					
EP-071-SS	C29 - C36 Fraction	mg/kg	100	<100	99.0%	97.0%	---	---					
EP-080-SS	BTEX												
EP-080-SS	Benzene	mg/kg	0.2	<0.2	94.0%	108%	85.0%	87.0%					
EP-080-SS	Toluene	mg/kg	0.2	<0.2	95.0%	104%	80.0%	82.0%					
EP-080-SS	Chlorobenzene	mg/kg	0.2	<0.2	94.0%	104%	87.0%	90.0%					
EP-080-SS	Ethylbenzene	mg/kg	0.2	<0.2	97.0%	109%	---	---					
EP-080-SS	meta- & para-Xylene	mg/kg	0.2	<0.2	97.0%	108%	---	---					
EP-080-SS	ortho-Xylene	mg/kg	0.2	<0.2	98.0%	109%	---	---					
EP-080S-SS	VOLATILE TPH/BTEX COMPOUND SURROGATES												
EP-080S-SS	1,2-Dichloroethane-D4	%	1	104	82	90	88	90					
EP-080S-SS	Toluene-D8	%	1	107	86	97	104	107					
EP-080S-SS	4-Bromofluorobenzene	%	1	92	86	97	87	88					

ALS Environmental

CERTIFICATE OF ANALYSIS

CONTACT: MR D CORBETT
CLIENT: COLLEX PTY LTD
ADDRESS:
P O BOX 933
ARCHERFIELD QLD 4108
ORDER No.: 27
PROJECT: QLD RAIL A/RIDGE

BATCH: EB47903
SUB BATCH: 3
LABORATORY: BRISBANE
DATE RECEIVED: 07/08/2002
DATE COMPLETED: 28/08/2002
SAMPLE TYPE: TCLP LEACHATE
No. of SAMPLES: 1

COMMENTS

The concentrations reported for volatile TPH C6-C9 and BTEX are those determined on a ZHE TCLP leachate, using extraction fluid #1 (pH 4.88-4.98). The concentrations reported for semivolatile TPH are those determined on the TCLP leachate. Extraction fluid #1 pH 4.88-4.98.
Analysis conducted by ALS Sydney, NATA Accreditation No. 10918.

NOTES

This is the Final Report and supersedes any preliminary reports with this batch number.
All pages of this report have been checked and approved for release.

ISSUING LABORATORY: BRISBANE

Address
32 Shand Street
Stafford QLD 4053
Australia

Phone: 61-7-3243 7222
Fax: 61-7-3243 7218
Email: geoff.lecornu@alsenviro.com

Signatory

sch 4 - signature

LABORATORIES

AUSTRALASIA

Brisbane
Melbourne
Sydney
Newcastle
Auckland
Hong Kong
Singapore
Kuala Lumpur
Bogor
Mumbai

AMERICAS

Vancouver
Santiago
Antofagasta
Lima

This Laboratory is accredited by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of accreditation. This document shall not be reproduced except in full.



Batch: EB47903
 Sub Batch: 3
 Date of Issue: 28/08/2002
 Client: COLLEX PTY LTD
 Client Reference: QLD RAIL A/RIDGE

CERTIFICATE OF ANALYSIS



		Laboratory I.D.		SAMPLE IDENTIFICATION									
		Date Sampled		1									
METHOD	ANALYSIS DESCRIPTION	UNIT	LOR	Contamina- ted Sand									
ALS1	Initial pH		0.1	5.7									
ALS2	After HCl pH		0.1	1.6									
ALS3	Extraction Fluid Number		1	1									
ALS4	pH After Extract		0.1	5.0									
EP-071-WS	TOTAL PETROLEUM HYDROCARBONS												
EP-071-WS	C6 - C9 Fraction	ug/L	20	67									
EP-071-WS	C10 - C14 Fraction	ug/L	50	254									
EP-071-WS	C15 - C28 Fraction	ug/L	100	3560									
EP-071-WS	C29 - C36 Fraction	ug/L	50	282									
EP-080-WS	BTEX												
EP-080-WS	Benzene	ug/L	1	<1									
EP-080-WS	Toluene	ug/L	2	3									
EP-080-WS	Chlorobenzene	ug/L	2	<2									
EP-080-WS	Ethylbenzene	ug/L	2	<2									
EP-080-WS	meta- & para-Xylene	ug/L	2	10									
EP-080-WS	ortho-Xylene	ug/L	2	5									
EP-080S-WS	VOLATILE TPH/BTEX COMPOUND SURROGATES												
EP-080S-WS	1,2-Dichloroethane-D4	%	1	104									
EP-080S-WS	Toluene-D8	%	1	109									
EP-080S-WS	4-Bromofluorobenzene	%	1	101									

11-9-02:11:35
 : 61 7 82758774
 # 12/24

Batch: EB47903
 Sub Batch: 3
 Date of Issue: 28/08/2002
 Client: COLLEX PTY LTD
 Client Reference: QLD RAIL A/RIDGE

QUALITY CONTROL REPORT



				SAMPLE IDENTIFICATION									
		Laboratory I.D.		100	101	102							
		Date Sampled		07/08/2002	07/08/2002	07/08/2002							
METHOD	ANALYSIS DESCRIPTION	UNIT	LOR	METHOD BLANK	NTPHW1237 SCS	NTPHW1237 DCS							
				CHECKS AND SPIKES									
ALS1	Initial pH		0.1	---	---	---							
ALS2	After HCl pH		0.1	---	---	---							
ALS3	Extraction Fluid Number		1	1	---	---							
ALS4	pH After Extract		0.1	---	---	---							
EP-071-WS	TOTAL PETROLEUM HYDROCARBONS												
EP-071-WS	C6 - C9 Fraction	ug/L	20	<20	100%	100%							
EP-071-WS	C10 - C14 Fraction	ug/L	50	<50	92.0%	88.0%							
EP-071-WS	C15 - C28 Fraction	ug/L	100	<100	98.0%	82.0%							
EP-071-WS	C29 - C36 Fraction	ug/L	50	<50	105%	89.0%							
EP-080-WS	BTEX												
EP-080-WS	Benzene	ug/L	1	<1	92.0%	93.0%							
EP-080-WS	Toluene	ug/L	2	<2	101%	106%							
EP-080-WS	Chlorobenzene	ug/L	2	<2	99.0%	105%							
EP-080-WS	Ethylbenzene	ug/L	2	<2	106%	109%							
EP-080-WS	meta- & para-Xylene	ug/L	2	<2	103%	110%							
EP-080-WS	ortho-Xylene	ug/L	2	<2	103%	108%							
EP-080S-WS	VOLATILE TPH/BTEX COMPOUND SURROGATES												
EP-080S-WS	1,2-Dichloroethane-D4	%	1	99	93	85							
EP-080S-WS	Toluene-D8	%	1	92	100	103							
EP-080S-WS	4-Bromofluorobenzene	%	1	97	105	103							

ALS Environmental**ORGANICS QUALITY CONTROL REPORT****BATCH NO: EB47903****DATE BATCH RECEIVED: 8/08/02****CLIENT: ALS Brisbane****DATE BATCH COMPLETED: 23/08/02****PROJECT:**

Method Code	Test	Matrix	Method Reference		QC Lot Number	Date Samples Extracted	Date Samples Analysed
			Extraction	Analysis			
EP-071	TPH(SV)	Water	USEPA 3510B	USEPA 8015A	NTPHW1237	16/08/02	16/08/02
EP-071	TPH(SV)	Soil	Tumbler	USEPA 8015A	NTPHT3458	22/08/02	22/08/02
EP-071/80	TPH(V)/BTEX	Water	USEPA 5030A	USEPA 8260A	NVOCW1237	12/08/02	13/08/02
EP-071/80	TPH(V)/BTEX	Soil	USEPA 5030A	USEPA 8260A	NVOCS3458	21/08/02	21/08/02

Where applicable, internal standards are added to sample extracts prior to instrumental analysis. Absolute peak areas and retention times fall within the criteria specified in the individual methods. Continuing Calibration (CC) standards are run at the frequency of 1 in every 20 samples.

Abbreviations: SV = semivolatile, V = volatile

*: In-house methods

Page 1 of 1

BATCH QUALITY CONTROL - CONTROL SPIKE/DUPLICATE

ALS EP-071 : Total Petroleum Hydrocarbons by Fractions

Vol QC Lot : NVOCW1237
Semi-Vol QC Lot : NTPHW1237

MATRIX : Water

COMPOUND	BATCH ADJ. (MDL)	Blank Conc. ug/L	Spike Conc. ug/L	Spike Results				Control Limits		
				SCS Conc. ug/L	DCS Conc. ug/L	Av. Rec. %	RPD %	Recovery %		RPD %
	ug/L	ug/L	ug/L	ug/L	ug/L	%	%	Low	High	%
C6-C9	20	<LOR	200	200	200	100	0	94	106	20
C10-C14	25	<LOR	200	184	176	90	4	78	120	20
C15-C28	25	<LOR	200	195	164	90	17	73	123	20
C29-C36	25	<LOR	200	210	177	97	17	72	124	20

COMMENTS:

- 1) The control limits are based on ALS laboratory statistical data (Method QWI-ORG/07).
- 2) * : Recovery or RPD falls outside the recommended control limit.
- 3) MDL = Method Detection Limit
- 4) LOR = Level Of Reporting

BATCH QUALITY CONTROL - CONTROL SPIKE/DUPLICATE

ALS EP-080 : BTEX ANALYSIS

QC Lot No. : NVOCW1237

MATRIX : Water

COMPOUND	BATCH	Blank	Spike	Spike Results				Control Limits		
	ADJ.	Conc.	Conc.	SCS	DCS	Av.	RPD	Recovery		RPD
	(MDL)			Conc.	Conc.	Rec.		%		
	ug/L	ug/L	ug/L	ug/L	ug/L	%	%	Low	High	%
Benzene	1.0	<LOR	10	9.20	9.29	92	1	87	115	20
Toluene	1.0	<LOR	10	10.09	10.63	104	5	87	114	20
Chlorobenzene	1.0	<LOR	10	9.85	10.50	102	6	89	112	20
Ethylbenzene	1.0	<LOR	10	10.58	10.90	107	3	88	115	20
m- & p-Xylene	1.0	<LOR	10	10.31	10.97	106	6	89	115	20
o-Xylene	1.0	<LOR	10	10.25	10.82	105	5	89	114	20

COMMENTS :

- 1) The control limits are based on ALS laboratory statistical data (Method QWI-ORG/07).
- 2) * : Recovery or RPD falls outside the recommended control limit.
- 3) MDL = Method Detection Limit
- 4) LOR = Level Of Reporting

BATCH QUALITY CONTROL - CONTROL SPIKE/DUPLICATE

ALS EP-071 : Total Petroleum Hydrocarbons by Fractions

Vol QC Lot : NVOCS3458
Semivol QC Lot : NTPHT3458

MATRIX : Soil

COMPOUND	BATCH ADJ. (MDL)	Blank Conc. mg/kg	Spike Conc. mg/kg	Spike Results				Control Limits		
				SCS	DCS	Av.	RPD	Recovery		RPD
				Conc.	Conc.	Rec.		%		
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	%	%	Low	High	%
C6-C9	2.0	<LOR	20	19.4	21.0	101	8	92	109	20
C10-C14	25	<LOR	200	190	188	95	1	87	112	20
C15-C28	50	<LOR	200	206	204	103	1	87	111	20
C29-C36	50	<LOR	200	198	194	98	2	81	114	20

COMMENTS:

- 1) The control limits are based on ALS laboratory statistical data (Method QWI-ORG/07).
- 2) * : Recovery or RPD falls outside the recommended control limit.
- 3) MDL = Method Detection Limit
- 4) LOR = Level Of Reporting

BATCH QUALITY CONTROL - CONTROL SPIKE/DUPLICATE

ALS EP-080 : BTEX ANALYSIS

QC Lot No. : NVOCS3458

MATRIX : Soil

COMPOUND	BATCH	Blank	Spike	Spike Results				Control Limits		
	ADJ.	Conc.	Conc.	SCS	DCS	Av.	RPD	Recovery		RPD
	(MDL)			Conc.	Conc.	Rec.		%		
	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	%	%	Low	High	%
Benzene	0.1	<LOR	1.0	0.94	1.08	101	13	86	111	20
Toluene	0.1	<LOR	1.0	0.95	1.04	99	10	81	115	20
Chlorobenzene	0.1	<LOR	1.0	0.94	1.04	99	10	84	112	20
Ethylbenzene	0.1	<LOR	1.0	0.97	1.09	103	11	85	112	20
m- & p-Xylene	0.1	<LOR	1.0	0.97	1.08	103	10	84	110	20
o-Xylene	0.1	<LOR	1.0	0.98	1.09	103	11	86	108	20

COMMENTS :

- 1) The control limits are based on ALS laboratory statistical data (Method QWI-ORG/07).
- 2) * : Recovery or RPD falls outside the recommended control limit.
- 3) MDL = Method Detection Limit
- 4) LOR = Level Of Reporting

BATCH QUALITY CONTROL - MATRIX SPIKE/DUPLICATE

ALS EP-071 : Total Petroleum Hydrocarbons by Fractions

Vol QC Lot : NVOCS3458
Semivol QC Lot : NTPHT3458

SPIKED SAMPLE : NE7599-21
MATRIX : SOIL

COMPOUND	Sample Results	Spike Level	Spike Results				Control Limits
			MS	MSD	Av.	RPD	
			Conc	Conc	Rec.		
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	RPD
C6-C9	<LOR	10	10.4	10.9	106	5	20
C10-C14	<LOR	430	444	478	107	7	20
C15-C28	<LOR	1570	1576	1712	105	8	20
C29-C36	<LOR	N/A	—	—	—	—	—

COMMENTS :

- 1) LOR: level of reporting
- 2) The control limits are based on ALS laboratory statistical data. (Method QWI-ORG/06)
- 3) * : Recovery or RPD falls outside of the recommended control limits.

BATCH QUALITY CONTROL - MATRIX SPIKE/DUPLICATE**ALS EP-080 : BTEX ANALYSIS**

QC Lot No. : NVOCS3458

SPIKED SAMPLE : NE7599-21

MATRIX : SOIL

COMPOUND	Sample Results	Spike Level	Spike Results				Control Limits
			MS Conc	MSD Conc	Av. Rec.	RPD	
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	RPD
Benzene	<LOR	2.5	2.1	2.2	86	2	20
Toluene	<LOR	2.5	2.0	2.1	81	2	20
Chlorobenzene	<LOR	2.5	2.2	2.2	89	3	20

COMMENTS :

- 1) LOR: level of reporting
- 2) The control limits are based on ALS laboratory statistical data. (Method QWI-ORG/06)
- 3) * : Recovery or RPD falls outside of the recommended control limits.

BATCH QUALITY CONTROL -- DUPLICATE

ALS EP-071 : Total Petroleum Hydrocarbons by Fractions

SEMIVOLATILES QC LOT NO.: NTPHT3458
VOLATILES QC LOT No.: NVOCS3458

ANALYST: NENSI.K.
MATRIX : Soil

COMPOUND	QC DUPLICATE RESULTS		
	NE7599	NE7599	RPD
	21	21DUP	
	mg/kg	mg/kg	%
C 6-C 9	<LOR	<LOR	--
C10-C14	<LOR	<LOR	--
C15-C28	<LOR	<LOR	--
C29-C36	<LOR	<LOR	--

BATCH QUALITY CONTROL -- DUPLICATE

ALS EP-080 : BTEX ANALYSIS

QC Lot No. : NVOCS3458
MATRIX : Soil

Analyst : S.Green

QC DUPLICATE RESULTS			
COMPOUND	NE7599	NE7599	RPD
	21	21DUP	
	mg/kg	mg/kg	%
Benzene	<LOR	<LOR	--
Toluene	<LOR	<LOR	--
Chlorobenzene	<LOR	<LOR	--
Ethylbenzene	<LOR	<LOR	--
m- & p-Xylene	<LOR	<LOR	--
o-Xylene	<LOR	<LOR	--

BATCH QUALITY CONTROL – DUPLICATE

ALS EP-071 : Total Petroleum Hydrocarbons by Fractions

SEMIVOLATILES QC LOT NO.:
VOLATILES QC LOT No.:NTPHT3458
NVOCS3458ANALYST: NENSI.K.
MATRIX : Soil

COMPOUND	QC DUPLICATE RESULTS		
	NE7599	NE7599	RPD
	23	23DUP	
	mg/kg	mg/kg	%
C 6-C 9	<LOR	<LOR	--
C10-C14	68	62	9
C15-C28	164	134	20
C29-C36	106	128	19

BATCH QUALITY CONTROL -- DUPLICATE

ALS EP-080 : BTEX ANALYSIS

QC Lot No. : NVOCS3458
MATRIX : Soil

Analyst : S.Green

QC DUPLICATE RESULTS			
COMPOUND	NE7599	NE7599	RPD
	23	23DUP	
	mg/kg	mg/kg	%
Benzene	<LOR	<LOR	--
Toluene	<LOR	<LOR	--
Chlorobenzene	<LOR	<LOR	--
Ethylbenzene	<LOR	<LOR	--
m- & p-Xylene	<LOR	<LOR	--
o-Xylene	<LOR	<LOR	--

Additional Information to support point 6

Sample Location : Entry road to Fuel Provision Shed, Acacia Ridge

To gain a soil sample from the track a 20L bucket was used. QR staff dragged the bucket along the length of the contaminated track until full. The soil was then collected same day by Collex Pty Ltd and sent to ALS Environmental for analysis.

Drag sample depth : approximately 15 cm above track sleepers.

Released by EHP
RTI Act 2009

FACSIMILE



To: **QR Coal & Freight Services** Date: **26-Sep-02**
Attn: **Kylie Edwards** Fax: **32352035**
CC: **Lea McShane - City Waste Services** Pages: 1
From: **Matthew Armistead**
Re: **Disposal of Contaminated Soils -**
Acacia Ridge Q-Link Depot
Lysaght St Acacia Ridge

Brisbane City Council

City Waste Services City Business

174 Gardner Road
Rosedale QLD 4123
GPO Box 1434
Brisbane Qld 4001

Phone: 07 3403 7742
Facsimile: 07 3403 7781
E-mail: toowm@brisbane.qld.gov.au
Internet: www.brisbane.qld.gov.au

Dear Kylie,

In response to your request on 26th September 02 for the disposal of 6 cubic meters of heavy metal and hydrocarbon impacted soil from development works from the abovementioned location; I am able to confirm that based on the chemical analysis results supplied by yourself, the soil will be accepted for disposal at Brisbane City Councils (BCC's) Nudgee Hardfill, Nudgee Road, Nudgee, charged at \$2.20 per tonne FY 02-03 [including GST]. Subject to the following conditions:

- dry loads of sediment must be wetted with water and all loads of sediment must be covered prior to transportation for suppression of dust;
- waste approved for disposal to BCC's Hardfill/Landfill must be accompanied by a completed BCC solid waste manifest docket for each waste Class during transportation and disposal operations;
- high risk materials approved for disposal to BCC's Hardfill/Landfill originating from a the Red Imported Fire Ant (RIFA - *Solenopsis invicta*) restricted area must be accompanied by a completed Fire Ant Declaration (FAD) or evidence of a DPI approved Risk Management Plan ensuring waste is free of the presence of RIFA; and
- BCC reserves the right to immediately suspend and/or terminate the disposal of any material to its landfills if, in the opinion of BCC, such material creates either a public nuisance or an environmental nuisance or poses occupational health and safety concerns for landfill staff.

For disposal arrangements (ie waste manifest) and confirmation of charges, contact Lea McShane from BCC City Waste Services (CWS) on (07) 3403 7784. Please note that CWS require 24 hours notice to organise acceptance of waste to the Brisbane Landfill/Hardfill sites.

Regards sch 4 - signature

Matthew Armistead
Environmental Monitoring Officer
City Waste Services

Reference Number: 02-09-06

IF THIS FACSIMILE TRANSMISSION IS INCOMPLETE OR ILLEGIBLE, PLEASE TELEPHONE THE ABOVE SENDER, THANK YOU.

Our Business - A Better Brisbane



Queensland Government
Department of Primary Industries

Red Imported Fire Ant Site Inspection Report

Report number

21357

I, being an Inspector appointed under the *Plant Protection Act 1989*, or a person directed by an Inspector, have inspected the area (see sketch below) of the land parcel for the proposed development identified as:

Address of the inspected area (house number, street, suburb)

Q-Link - Acacia Ridge Shunting Yard Via Lysons Street
Acacia Ridge.

in accordance with DPI protocol for the presence of Red Imported Fire Ant (*Solenopsis invicta*), and found it to be:

(tick applicable box)



Visually free



Visually infested


(Visually infested means "as confirmed by the FACC diagnostics unit")

This site report remains valid for 28 days from the date of issue and the owner or representative must undertake an inspection at least every 28 days thereafter until completion of the movement of material.

This site inspection report gives no assurance of the Red Imported Fire Ant status of the land after that date, and should not be used as an indication as to the status of materials or products brought onto the site after the issue date.

High risk materials located on the inspected area may be moved in accordance with a completed Fire Ant Declaration for movement or have a DPI approved risk management plan in place. Declaration forms are available from the DPI website www.dpi.qld.gov.au or phone the DPI Call Centre on 13 25 23.

Site sketch with inspected area identified



Name of Inspector or person directed by Inspector

WARWICK ROE

Signature

sch 4 - signature

Date inspected

27.9.02.

Entered as "N" - no. - 40468.

11/10/02.

sch 4 - signature

0 of 3



**Queensland
Government**
Environmental
Protection Agency

Level 16, 288 Edward Street · Brisbane · Qld
Contaminated Land Unit ·
Environmental Protection Agency
GPO Box 2771 · BRISBANE · QLD 4001
Ph: (07) 3225 1827 Fax: (07) 3247 3278

Notification of Land

Sections 371 and 372 Environmental Protection Act (1994)

The following information should be supplied by people providing notification to the Environmental Protection Agency of contaminated land or land used for a notifiable activity under Schedule 2 of the *Environmental Protection Act 1994*.

Essential information

- Please complete all information • Please complete one form per lot Date: 11-10-02
- Please refer to the reverse side for information on how to complete this form

1. Local government

Brisbane City Council

2. Information provided by

Name

Scott Young

Telephone

32 35 3130

Organisation

QR

Address 305 Edward St

Brisbane Postcode 4000

3. Name by which the property is known locally

Acacia Ridge Fuel Facility

4. Lot on Plan description of parcel of land

Lot

2 Plan RP 94559

Parish

Yeerongpilly

5. Location

Street Address Lysaght St

Town/suburb Acacia Ridge

Postcode

4110

6. Name and postal address of land owner

Name

The Commissioner For Railways

Address 305 Edward St

Brisbane Postcode 4000

7. Area of parcel in square metres

(this information is used as a cross-check on the land description details)

8.449 hectares

✓ checked Quay database and BCL spreadsheets

8. Notification information (please refer to the reverse side of this form and Schedule 2 of the Environmental Protection Act 1994)

Description of the notifiable activity/ies for which the land is or has been used and the source/s of the suspected contamination (please list all notifiable activities that the land has been used for and provide details).

Petroleum product or oil storage

Spoke to Paul Fitzgerald 2-15 pm 11/10/02.
He advised 2x 110KL tanks +
1x 145KL tanks on site.

sch 4 - signature

File A

**CONTAMINATED
LAND REGISTRATION**

11 OCT 2002


② of ③

9. **Map or locality plan** *(The processing of this information would be greatly assisted by the inclusion of a map or locality plan).*


Signature of person providing notification information

sch 4 - signature

Released by EHP
RTI Act 2009



③ of ③

CONTAMINATED
LAND SECTION

11 OCT 2002

Lindi Bowen

From: Termont-Schenk, Steven [Steven.Termont-Schenk@qr.com.au]

Sent: Wednesday, 7 July 2004 10:59 AM

To: lindi.bowen@epa.qld.gov.au

Cc: Fitzgerald, Paul; [sch 4 - personal information]

Subject: Notification of QR Sites on EMR

Dear Lindi -

I have completed the review of all QR sites to be included on the EMR. The attached Excel files are sites grouped by LGA ready for upload by EPA. When you have completed the upload process could you please advise both Paul Fitzgerald (Paul.Fitzgerald@qr.com.au) and myself [sch 4 - personal information] and Steven.Termont-Schenk@qr.com.au). We anticipate that there will be a few sites that have been missed through this process. To minimise these we would like to work with you after upload of these sites is to compare QRs list of 'Current' sites with EPAs EMR to identify lots that are yet to be notified.

If you have any difficulties during the upload of these sites which we can assist you with please do not hesitate to call either Paul Fitzgerald (P: 3235-1238) or myself (M: [sch 4 - mobile phone])

Regards -

Steve Termont-Schenk

This email and any files transmitted with it are confidential and intended solely

This message has been scanned for the presence of computer viruses. No warranty i virus free and no liability is accepted by the sender in this respect.

This email is a message only; does not constitute advice and should not be relied

BCC

LGA	Lot No	Plan No	Notifiable	HAZ	CON	Location	SLocation	SLocation	SLocation	FLatitude	Longitude	File	Refer	Owner	Na	Owner	Adi
s73(2) - irrelevant																	

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

100	2 RP94559 32	ACACIA Rl acacia ridg acacia ridg 4110	-27.5786 153.032	Queenslan Manager E
-----	--------------	--	------------------	---------------------

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

Owner_Ad Owner_Ad Owner_Ad Owner_Ad Owner_Po: Site_Area DL_DATA_Parcel_Sta Transfer_ID

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Safety & Ei GPO Box 1 Brisbane QLD 4001 8.4494 ha Notified by QR as part of the QR EMR Project

s73(2) - irrelevant

Released by EHP
RTI Act 2009

s73(2) - irrelevant

Released by EHP
RTI Act 2009