

JALOTA Rajesh

From: JALOTA Rajesh
Sent: Friday, 4 April 2014 2:21 PM
To: 'HARTIGAN Roger'
Subject: RE: Possible amendment of Environmental Authorities EPML00417213 (previously MIN10087809) and EPPR00918113 (previously SPDE04947312)

Many thanks Roger!
Kind regards!
Rajesh

From: HARTIGAN Roger [mailto:Roger.Hartigan@csenergy.com.au]
Sent: Friday, 4 April 2014 2:20 PM
To: JALOTA Rajesh
Cc: HARABASZ Samuel; MCNICOL John; Ivan.Mapp@csenergy.com.au
Subject: RE: Possible amendment of Environmental Authorities EPML00417213 (previously MIN10087809) and EPPR00918113 (previously SPDE04947312)

Thanks Rajesh

We will work through the matters you have raised and be in touch.

Regards

Roger

From: JALOTA Rajesh [mailto:Rajesh.Jalota@ehp.qld.gov.au]
Sent: Friday, 4 April 2014 2:07 PM
To: MCNICOL John; Ivan.Mapp@csenergy.com.au
Cc: HARTIGAN Roger; HARABASZ Samuel
Subject: Possible amendment of Environmental Authorities EPML00417213 (previously MIN10087809) and EPPR00918113 (previously SPDE04947312)

Hello John and Ivan

In the recent review of Environmental Authorities of Kogan Creek Mine (EPML00417213 (previously MIN10087809)) and for Ash disposal (regulated waste) EPPR00918113 (previously SPDE04947312), EHP has noticed the following -

Correct Lot and plans

As per Current Environmental Authority EPPR00918113 (old Permit SPDE04947312), Aberdare Collieries Pty Ltd are allowed to conduct ERA 60 -1(d) (operating a facility for disposing of, in a year, more than 200000t of regulated waste or regulated waste and any, or any combination, of general waste, limited regulated waste; or if the facility is in a scheduled area-no more than 5t of untreated clinical waste in a year) on the following Lots and Plans- Lot1 Plan DY187; **Lot2 Plan DY187; Lot 11 Plan DY61**; Lot 26 Plan DY374; Lot 28 Plan DY275; Lot 34 Plan DY604; Lot 7 Plan RP176345

Our database indicate that Lot 2 Plan DY187 and Lot 11 Plan DY 61 have been reconfigured to **Lot 2 on SP174068 and Lot 11 on SP174073**, respectively.

Locations of Hazardous Dams

As per Environmental Authorities for Kogan Creek Coal Mine (EPML00417213) and for regulated waste disposal (EPPR00918113) the locations of hazardous dams is -

Environmental Authority- EPML00417213 Schedule E - Table 2 (Location of high hazard dam containing hazardous waste)

Name of the Dam	Latitude (GDA 94)	Longitude (GDA 94)
ROM Pond	26° 55' 35"	150° 46' 43"
Industrial Pond	26° 55' 40"	150° 46' 43"
South Highwall Dirty	26° 56' 20"	150° 46' 33"
Bunding Dam	26° 56' 00"	150° 47' 15"
North Evaporation Dam	26° 55' 20"	150° 47' 05"
Spoil Dams		
Out of pit	26° 55' 30"	150° 47' 45"
Spoil West	26° 56' 00"	150° 46' 50"
Spoil East	26° 55' 50"	150° 47' 30"

Environmental Authority- EPPR00918113 Schedule E - Table 2 (Location of high hazard dam containing hazardous waste)

Name of the Dam	Latitude (GDA 94)	Longitude (GDA 94)
Initial Ash	26° 55' 00"	150° 44' 00"
Out of Pit	26° 55' 40"	150° 47' 30"
In Pit West (1 st)	26° 56' 00"	150° 46' 30"
In Pit West (2 nd)	26° 56' 15"	150° 46' 30"
In Pit West (3 rd)	26° 56' 30"	150° 46' 30"
In Pit East (1 st)	26° 56' 10"	150° 47' 15"
In Pit East (2 nd)	26° 56' 25"	150° 47' 15"

After verifying the locations of hazardous dams as per Environmental Authority EPML00417213, and EPPR00918113 on Queensland Globe (Google maps; attached) I found incorrect coordinates for the following

1. Initial Ash Disposal Area
2. Rom Pond
3. Industrial Pond
4. Bunding Dam and
5. North Evaporation Dam

Further it is noted that every year Aberdare Collieries Pty Ltd submit annual inspections reports for the following Hazardous dams –

6. IADA
7. OPAC
8. ROM Pond South (ROM Pond)
9. Industrial Pond (ROM Hopper Pond 1a or ROM Pond North)

A comparison of Environmental Authorities, Water Management Plan ((**WMP**; Table 7); Page 28; developed by Golding Contractors Pty Ltd) and Drawing No. KCM-95 Rev3 (Water Management Plan 12 Jan 2010) indicate different nomenclature for same dams. (See Table below) -

EA Reference /Document reference	EA Reference Name	Drawing Name "WMP"	Dam No. (as per drawing)	Purpose (as per Water Management Plan /& Environmental Authorities)
EPML00417213	Industrial Pond	ROM Hopper Pond	1a	ROM hopper drainage/ ROM pad run off
	ROM Pond	ROM Pond	1	ROM drainage, pit dewatering, general water storage/ Industrial & pit water storage

	South Highwall Dirty Dam			/Ex pit water storage
	Bunding Dam	Bunding Dam	5	Southern batter of OOPD drainage and pit dewatering/ Evaporation Dam (also named Lake Kempy)
	North Evaporation Dam			Future Evaporation Dam
	Spoil Dams - Out of Pit	Spoil Dam	3	North Eastern Batter of OOPD drainage/ Spoil Dump Run off
	Spoil West			Spoil Dump run off
	Spoil East	East Dam	4	Southern batter of OOPD drainage and pit dewatering/ Spoil Dump run off (This dam was also named Duck/Swan pond)
EPPR00918113	Initial Ash Cell			Power Station Waste
	Out of Pit Ash Cell	OPAC	11	Out of pit ash cell/ Power station waste disposal
	In Pit West (1 st)			Power Station Waste
	In Pit West (2 nd)			Power Station Waste
	In Pit West (3 rd)			Power Station Waste
	In Pit East (1 st)			Power Station Waste
	In Pit East (2 nd)			Power Station Waste
Water Management Plan		Northern Dam	2	Western Batter of OPAC and MIA drainage, eastern edge of ROM pad & haul roads
		East Top soil	6	Natural Surface Runoff collection
		South EBC	7	Natural Surface Runoff Collection from in advance of Pit
		North EBC	8	Natural Surface Runoff Collection from behind Pit
		Turkey's nest	9	Pit dewatering This dam receives water from dams 4,5,6 and water from this dam is used to for dust suppression on site
		Stock Dam A	10a	Existing Stock Dam (Now no more as mine pit is extending in this area)
		Stock Dam B	10 b	Existing Stock Dam (Now no more as mine pit is extending in this area)
		North Billabong	12	Wetland area (outside Mining Lease)
		East Billabong	13	Wetland area (outside Mining Lease)

Because of different terminologies for dams any project officer/manager gets confused to understand the name and uses of these structures.

Since 2010, CS Energy Pty Ltd is submitting annual reports for only four hazardous dams (ROM Hopper Pond/Industrial Pond, ROM Pond, IADA and OPAC) instead of all hazardous dams. **As per file records EHP had contacted Aberdare Collieries Pty Ltd to clarify why it did not submit annual inspection reports for all hazardous dams (8 dams as per Mining EA EPML00417213 and 7 dams as per EPPR00918113).**

Earlier on **21 November 2008**, Mrs Ruth Brown, Principal Environmental Officer via email to Mr Tim Mortimer (Mining Manager, CS Energy) tried to clarify why all 8 hazardous dams (listed on mining EA) are not inspected? She also enquired if all of these dams have been built or not? On **30 October 2012**, Ruth Brown again contacted C S Energy (this time Mr John MCNICOL, Coal and Ash Superintendent) to distinguish General Water Dams and High Hazard dams out of all eight hazardous dams.

Both times CS Energy could not provide full details about Hazardous dams to Ruth Brown.

On 4 February 2009, Mr Tim Mortimer, Mining Manager, CS Energy, responded to Ruth's enquiry. While citing water quality results from the email (21 Jan 2009) of Andrew Zvirzginas, Environmental Engineer of Golding Contractors Pty Ltd, - *"The water test results show that the dams do not contain hazardous waste, as detailed in the ECO Access guidelines and as such the dams are not hazardous dams. When the EA was written all the planned dams were described as hazardous dams as the water quality was unknown. It may be that **when the EA is reviewed at some stage that the hazardous dam description can be removed.** The ROM pond is the only dam that has an external discharge spillway -from the mine to Kogan Creek. Although it is **not hazardous dam** we consider it does has the potential to become a hazardous dam if poor quality water is discharged into the dam from ROM pad or Industrial area runoff or via pumping from the mine pit or power station. It has a MRL marker and as of November 1, 2008 had only a minimal amount of water held in the structure....."*

On 30 October 2012, John MCNICOL, Coal and Ash Superintendent, Kogan Creek Power Station, responded to Ruth- **North ROM pond** (ROM hopper pond or Industrial pond) **has never been deemed to be a hazardous waste dam.** It captures run off from the Grizzly Tower via gravity and the runoff from the ROM tunnel is pumped to it. When the Nth ROM pond fills it is then pumped to the ROM pond which is listed as Hazardous Waste dam. The spillway from the Nth ROM pond actually overflows back to the ROM tunnel in the event of a pump failure.

Based on above review, it is **recommended** that

- Amend Environmental Authority EPPR00918113 to incorporate new lot and plans.
- To avoid any confusion about location and use/nature of hazardous dams, Aberdare Collieries Pty Ltd needs to provide accurate coordinates for all current and future dam sites.
- Aberdare Collieries Pty Ltd needs to clarify if all dams mentioned in the Environmental Authority EPML00417213 and EPPR00918113 have been constructed?
- **If Aberdare Collieries Pty Ltd agree to review and amend the Environmental Authorities EPML00417213 and EPPR00918113.**

Can you kindly send me your comments/views about EA amendment and other recommendations (listed above)?

Kind regards

Rajesh
Dr RAJESH JALOTA,
Senior Environmental Officer
Southern Region, Environmental Services & Regulation
Department of Environment & Heritage Protection

173 Hume Street Toowoomba, Queensland 4350
PO Box 173 Toowoomba, Queensland 4350,
P- 07 46994378; F- 07 4699 4399



Google Earth streams the world over wired and wireless networks enabling users to virtually go anywhere on the planet and see places in photographic detail. This is not like any map you have ever seen. This is a 3D model of the real world, based on real satellite images combined with maps, guides to restaurants, hotels, entertainment, businesses and more. You can zoom from space to street level instantly and then pan or jump from place to place, city to city, even country to country.

Get Google Earth. Put the world in perspective.

(<http://earth.google.com>)


The information in this email together with any attachments is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. There is no waiver of any confidentiality/privilege by your inadvertent receipt of this material.

Any form of review, disclosure, modification, distribution and/or publication of this email message is prohibited, unless as a necessary part of Departmental business.

If you have received this message in error, you are asked to inform the sender as quickly as possible and delete this message and any copies of this message from your computer and/or your computer system network.

This email and any files transmitted with it are confidential and may be privileged, in which case neither is intended to be waived, and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please advise us and remove it, and any copies, from your system. It is your responsibility to check any attachments for viruses and defects before opening or sending this email to another person. CS Energy Limited and its subsidiaries accept no responsibility for emails sent by employees which are of a personal nature or in breach of the law. Any personal information in this email must be handled in accordance with the Privacy Act 1988 (Cth). For CS Energy's Privacy Policy please refer to www.csenergy.com.au

709051329 \$289.40 13/10/2005 11:01 BE 400 NT		WARNING : Folded or Mutilated Plans will not be accepted. Plans may be rolled. Information may not be placed in the outer margins.													
1. Certificate of Registered Owners or Lessees. 1/We ABERDARE COLLIERIES PTY LIMITED, A.C.N.009 659 367 (Names in full) * as Registered Owners of this land agree to this plan and dedicate the Public Use Land as shown hereon in accordance with Section 50 of the Land Title Act 1994. * as Lessees of this land agree to this plan. <div style="display: flex; justify-content: space-between; align-items: center;"> <div> sch4 - Personal information Signature of *Registered Owners *Lessees </div> <div> Christopher Stirling Turnbull <i>Company Secretary</i> </div> </div> * Rule out whichever is inapplicable		5 Lodged by CS ENERGY LTD GPO BOX 769 BRISBANE QLD 4001 3222 9571 <small>(Include address, phone number, reference, and Lodger Code)</small>													
2 Local Government Approval. * Chinchilla Shire Council hereby approves this plan in accordance with the: % <div style="text-align: center;"> INTEGRATED PLANNING ACT 1997 </div> Dated this. <u>16th</u> day of SEPTEMBER 2005 <div style="display: flex; justify-content: space-between;"> <div> sch4 - Personal information </div> <div> # MAYOR # ACTING CHIEF EXECUTIVE </div> </div> * Insert the name of the Local Government. % Insert Integrated Planning Act 1997 or # Insert designation of signatory or delegation Local Government (Planning & Environment) Act 1990		6. Existing Created <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Title Reference</th> <th>Lot</th> <th>Plan</th> <th>Lots</th> <th>Emts</th> <th>Road</th> </tr> </thead> <tbody> <tr> <td>14176212</td> <td>II</td> <td>DY61</td> <td>II</td> <td></td> <td>New Rd</td> </tr> </tbody> </table> <div style="display: flex; justify-content: space-between;"> <div> II Lots </div> <div> Por. II Orig </div> </div> 7. Portion Allocation : 8. Map Reference : 9044-23311 9. Locality : BRIGALOW 10. Local Government : CHINCHILLA SHIRE COUNCIL 11. Passed & Endorsed : By Cottrell Cameron and Steen Surveys Pty Ltd Date : 23/6/05 Signed sch4 - Personal information Designation : DIRECTOR		Title Reference	Lot	Plan	Lots	Emts	Road	14176212	II	DY61	II		New Rd
Title Reference	Lot	Plan	Lots	Emts	Road										
14176212	II	DY61	II		New Rd										



Copyright protects the plan/s being ordered by you. Unauthorised reproduction or amendments are not permitted.


2

3

RP23236

DIAGRAM A
1:500

HEALYS CROSSING ROAD



New Road
20.0 WIDE

2

New Road
20.0 WIDE

DIAGRAM B
1:500




DIAGRAM D
1:500




DIAGRAM C
1:500

SMITHS ROAD

New Road
20.0 WIDE

RP23236

HEALYS CROSSING ROAD

2

SMITHS ROAD

ROAD

Scale 1:500 - Lengths are in Metres.

State copyright reserved.

Insert Plan Number SP174068

JALOTA Rajesh

From: JALOTA Rajesh
Sent: Friday, 4 April 2014 2:07 PM
To: MCNICOL John (john.mcnicol@csenergy.com.au); 'Ivan.Mapp@csenergy.com.au'
Cc: HARTIGAN Roger (Roger.Hartigan@csenergy.com.au); 'HARABASZ Samuel'
Subject: Possible amendment of Environmental Authorities EPML00417213 (previously MIN10087809) and EPPR00918113 (previously SPDE04947312)
Attachments: GoogleEarth_Image.jpg

Hello John and Ivan

In the recent review of Environmental Authorities of Kogan Creek Mine (EPML00417213 (previously MIN10087809)) and for Ash disposal (regulated waste) EPPR00918113 (previously SPDE04947312), EHP has noticed the following -

Correct Lot and plans

As per Current Environmental Authority EPPR00918113 (old Permit SPDE04947312), Aberdare Collieries Pty Ltd are allowed to conduct ERA 60 -1(d) (operating a facility for disposing of, in a year, more than 200000t of regulated waste or regulated waste and any, or any combination, of general waste, limited regulated waste; or if the facility is in a scheduled area-no more than 5t of untreated clinical waste in a year) on the following Lots and Plans- Lot1 Plan DY187; **Lot2 Plan DY187; Lot 11 Plan DY61**; Lot 26 Plan DY374; Lot 28 Plan DY275; Lot 34 Plan DY604; Lot 7 Plan RP176345

Our database indicate that Lot 2 Plan DY187 and Lot 11 Plan DY 61 have been reconfigured to **Lot 2 on SP174068 and Lot 11 on SP174073**, respectively.

Locations of Hazardous Dams

As per Environmental Authorities for Kogan Creek Coal Mine (EPML00417213) and for regulated waste disposal (EPPR00918113) the locations of hazardous dams is -

Environmental Authority- EPML00417213 Schedule E - Table 2 (Location of high hazard dam containing hazardous waste)

Name of the Dam	Latitude (GDA 94)	Longitude (GDA 94)
ROM Pond	26° 55' 35"	150° 46' 43"
Industrial Pond	26° 55' 40"	150° 46' 43"
South Highwall Dirty	26° 56' 20"	150° 46' 33"
Bunding Dam	26° 56' 00"	150° 47' 15"
North Evaporation Dam	26° 55' 20"	150° 47' 05"
Spoil Dams		
Out of pit	26° 55' 30"	150° 47' 45"
Spoil West	26° 56' 00"	150° 46' 50"
Spoil East	26° 55' 50"	150° 47' 30"

Environmental Authority- EPPR00918113 Schedule E - Table 2 (Location of high hazard dam containing hazardous waste)

Name of the Dam	Latitude (GDA 94)	Longitude (GDA 94)
Initial Ash	26° 55' 00"	150° 44' 00"
Out of Pit	26° 55' 40"	150° 47' 30"
In Pit West (1 st)	26° 56' 00"	150° 46' 30"
In Pit West (2 nd)	26° 56' 15"	150° 46' 30"
In Pit West (3 rd)	26° 56' 30"	150° 46' 30"
In Pit East (1 st)	26° 56' 10"	150° 47' 15"

In Pit East (2nd)

26° 56' 25"

150° 47' 15"

After verifying the locations of hazardous dams as per Environmental Authority EPML00417213, and EPPR00918113 on Queensland Globe (Google maps; attached) I found incorrect coordinates for the following

1. Initial Ash Disposal Area
2. Rom Pond
3. Industrial Pond
4. Bunding Dam and
5. North Evaporation Dam

Further it is noted that every year Aberdare Collieries Pty Ltd submit annual inspections reports for the following Hazardous dams –

6. IADA
7. OPAC
8. ROM Pond South (ROM Pond)
9. Industrial Pond (ROM Hopper Pond 1a or ROM Pond North)

A comparison of Environmental Authorities, Water Management Plan ((**WMP**; Table 7); Page 28; developed by Golding Contractors Pty Ltd) and Drawing No. KCM-95 Rev3 (Water Management Plan 12 Jan 2010) indicate different nomenclature for same dams. (See Table below) -

EA Reference /Document reference	EA Reference Name	Drawing Name "WMP"	Dam No. (as per drawing)	Purpose (as per Water Management Plan /& Environmental Authorities)
EPML00417213	Industrial Pond	ROM Hopper Pond	1a	ROM hopper drainage/ ROM pad run off
	ROM Pond	ROM Pond	1	ROM drainage, pit dewatering, general water storage/ Industrial & pit water storage
	South Highwall Dirty Dam			/Ex pit water storage
	Bunding Dam	Bunding Dam	5	Southern batter of OOPD drainage and pit dewatering/ Evaporation Dam (also named Lake Kempy)
	North Evaporation Dam			Future Evaporation Dam
	Spoil Dams - Out of Pit	Spoil Dam	3	North Eastern Batter of OOPD drainage/ Spoil Dump Run off
	Spoil West			Spoil Dump run off
	Spoil East	East Dam	4	Southern batter of OOPD drainage and pit dewatering/ Spoil Dump run off (This dam was also named Duck/Swan pond)
EPPR00918113	Initial Ash Cell			Power Station Waste
	Out of Pit Ash Cell	OPAC	11	Out of pit ash cell/ Power station waste disposal
	In Pit West (1 st)			Power Station Waste

	In Pit West (2 nd)			Power Station Waste
	In Pit West (3 rd)			Power Station Waste
	In Pit East (1 st)			Power Station Waste
	In Pit East (2 nd)			Power Station Waste
Water Management Plan		Northern Dam	2	Western Batter of OPAC and MIA drainage, eastern edge of ROM pad & haul roads
		East Top soil	6	Natural Surface Runoff collection
		South EBC	7	Natural Surface Runoff Collection from in advance of Pit
		North EBC	8	Natural Surface Runoff Collection from behind Pit
		Turkey's nest	9	Pit dewatering This dam receives water from dams 4,5,6 and water from this dam is used to for dust suppression on site
		Stock Dam A	10a	Existing Stock Dam (Now no more as mine pit is extending in this area)
		Stock Dam B	10 b	Existing Stock Dam (Now no more as mine pit is extending in this area)
		North Billabong	12	Wetland area (outside Mining Lease)
		East Billabong	13	Wetland area (outside Mining Lease)

Because of different terminologies for dams any project officer/manager gets confused to understand the name and uses of these structures.

Since 2010, CS Energy Pty Ltd is submitting annual reports for only four hazardous dams (ROM Hopper Pond/Industrial Pond, ROM Pond, IADA and OPAC) instead of all hazardous dams. **As per file records EHP had contacted Aberdare Collieries Pty Ltd to clarify why it did not submit annual inspection reports for all hazardous dams (8 dams as per Mining EA EPML00417213 and 7 dams as per EPPR00918113).**

Earlier on **21 November 2008**, Mrs Ruth Brown, Principal Environmental Officer via email to Mr Tim Mortimer (Mining Manager, CS Energy) tried to clarify why all 8 hazardous dams (listed on mining EA) are not inspected? She also enquired if all of these dams have been built or not? On **30 October 2012**, Ruth Brown again contacted C S Energy (this time Mr John MCNICOL, Coal and Ash Superintendent) to distinguish General Water Dams and High Hazard dams out of all eight hazardous dams.

Both times CS Energy could not provide full details about Hazardous dams to Ruth Brown.

On 4 February 2009, Mr Tim Mortimer, Mining Manager, CS Energy, responded to Ruth's enquiry. While citing water quality results from the email (21 Jan 2009) of Andrew Zvirzinas, Environmental Engineer of Golding Contractors Pty Ltd, - "The water test results show that the dams do not contain hazardous waste, as detailed in the ECO Access guidelines and as such the dams are not hazardous dams. When the EA was written all the planned dams were described as hazardous dams as the water quality was unknown. It may be that **when the EA is reviewed at some stage that the hazardous dam description can be removed.** The ROM pond is the only dam that has an external discharge spillway –from the mine to Kogan Creek. Although it is **not hazardous dam** we consider it does has the potential to become a hazardous dam if poor quality water is discharged into the dam from ROM pad or Industrial area runoff or via pumping from the mine pit or power station. It has a MRL marker and as of November 1, 2008 had only a minimal amount of water held in the structure.....

On 30 October 2012, John MCNICOL, Coal and Ash Superintendent, Kogan Creek Power Station, responded to Ruth- **North ROM pond** (ROM hopper pond or Industrial pond) **has never been deemed to be a hazardous waste**

dam. It captures run off from the Grizzly Tower via gravity and the runoff from the ROM tunnel is pumped to it. When the Nth ROM pond fills it is then pumped to the ROM pond which is listed as Hazardous Waste dam. The spillway from the Nth ROM pond actually overflows back to the ROM tunnel in the event of a pump failure.

Based on above review, it is **recommended** that

- Amend Environmental Authority EPPR00918113 to incorporate new lot and plans.
- To avoid any confusion about location and use/nature of hazardous dams, Aberdare Collieries Pty Ltd needs to provide accurate coordinates for all current and future dam sites.
- Aberdare Collieries Pty Ltd needs to clarify if all dams mentioned in the Environmental Authority EPML00417213 and EPPR00918113 have been constructed?
- **If Aberdare Collieries Pty Ltd agree to review and amend the Environmental Authorities EPML00417213 and EPPR00918113.**

Can you kindly send me your comments/views about EA amendment and other recommendations (listed above)?

Kind regards

Rajesh

Dr RAJESH JALOTA,
Senior Environmental Officer
Southern Region, Environmental Services & Regulation
Department of Environment & Heritage Protection

173 Hume Street Toowoomba, Queensland 4350
PO Box 173 Toowoomba, Queensland 4350,
P- 07 46994378; F- 07 4699 4399



Google Earth streams the world over wired and wireless networks enabling users to virtually go anywhere on the planet and see places in photographic detail. This is not like any map you have ever seen. This is a 3D model of the real world, based on real satellite images combined with maps, guides to restaurants, hotels, entertainment, businesses and more. You can zoom from space to street level instantly and then pan or jump from place to place, city to city, even country to country.

Get Google Earth. Put the world in perspective.

(<http://earth.google.com>)



Google Earth Pro





Google Earth Pro

miles
km

10

10

