

Hand held Unit	Date	Time	Location	O2	CO	CH4	CO2	Comments	Recorder Name	TimeStamp	Upload Log	
Site	1/07/2024	9:08:00 PM	MM Drift	20.90%	25.0	0.00%	0.00%	Fluctuating up to 25ppm		01-07-2024 21:08:00		MM Drift
Site	2/07/2024	12:26:00 AM	MM Drift	20.90%	5.0	0.00%	0.00%	Fluctuating up to 5ppm		02-07-2024 00:26:00		
Site	2/07/2024	12:32:00 AM	CV Drift	20.90%	0.0	0.00%	0.00%			02-07-2024 00:32:00		
Site	2/07/2024	00:59:00	Shaft 6	20.80%	0.0	0.00%	0.00%			02-07-2024 00:59:00		
Site	2/07/2024	1:03:00 AM	CV Drift	20.90%	0.0	0.00%	0.00%			02-07-2024 01:03:00		
Site	2/07/2024	2:34:00 AM	MM Drift	20.90%	0.0	0.00%	0.00%			02-07-2024 02:34:00		
Site	2/07/2024	2:37:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			02-07-2024 02:37:00		
Site	2/07/2024	3:17:00 AM	CV Drift	20.90%	0.0	0.00%	0.00%			02-07-2024 03:17:00		
Site	2/07/2024	4:29:00 AM	MM Drift	20.90%	15.0	0.00%	0.00%	Fluctuating up to 25ppm and currently at 6ppm		02-07-2024 04:29:00		
Site	2/07/2024	4:31:00 AM	CV Drift	20.90%	0.0	0.00%	0.00%			02-07-2024 04:31:00		
Site	2/07/2024	07:29:00	Shaft 6	20.00%	0.0	0.00%	0.00%			02-07-2024 07:29:00		
Site	2/07/2024	8:28 AM	CV Drift	20.80%	0.0	0.00%	0.00%			02-07-2024 08:28:00		
Site	2/07/2024	08:59:00	Shaft 6	20.80%	0.0	0.00%	0.00%			02-07-2024 08:59:00		
Site	2/07/2024	9:10:00 AM	CV drift	20.90%	0.0	0.00%	0.00%	CO peak 1ppm		02-07-2024 09:10:00		
Site	2/07/2024	10:29:00	Shaft 6	20.90%	0.0	0.00%	0.03%			02-07-2024 10:29:00		
Site	2/07/2024	12:22:00 PM	MIA	20.80%	28.0	0.00%	0.03%	MIA - Deck Area		02-07-2024 12:22:00		
Site	2/07/2024	12:45:00	Shaft 6	20.80%	0.0	0.00%	0.03%			02-07-2024 12:45:00		
Site	2/07/2024	1:01:00 PM	MIA	20.80%	0.0	0.00%	0.00%	MIA - Deck area		02-07-2024 13:01:00		
Site	2/07/2024	1:15:00 PM	MIA	20.80%	22.0	0.00%	0.00%	Stonedust shed and free issue yard		02-07-2024 13:15:00		
Site	2/07/2024	1:50 PM	CV Drift	20.80%	0.0	0.00%	0.00%			02-07-2024 13:50:00		
Site	2/07/2024	14:23:00	Shaft 6	20.80%	0.0	0.00%	0.03%			02-07-2024 14:23:00		
Site	2/07/2024	14:30	MIA	20.80%	14.0	0.00%	0.00%	Dump area		02-07-2024 14:30:00		
Site	2/07/2024	15:33:00	Shaft 6	20.80%	0.0	0.00%	0.03%			02-07-2024 15:33:00		
Site	2/07/2024	16:55:00	Shaft 6	20.80%	0.0	0.00%	0.03%			02-07-2024 16:55:00		
Site	2/07/2024	19:00:00	Shaft 6	20.80%	0.0	0.00%	0.00%			02-07-2024 19:00:00		
Site	2/07/2024	7:08:00 PM	CV Drift	20.80%	0.0	0.00%	0.00%			02-07-2024 19:08:00		
Site	2/07/2024	20:01:00	Shaft 6	20.80%	0.0	0.00%	0.00%			02-07-2024 20:01:00		
Site	2/07/2024	20:32:00	Shaft 6	20.80%	0.0	0.00%	0.00%			02-07-2024 20:32:00		
Site	2/07/2024	9:01:00 PM	CV Drift	20.80%	0.0	0.00%	0.00%			02-07-2024 21:01:00		
Site	2/07/2024	22:01:00	Shaft 6	20.80%	0.0	0.00%	0.00%			02-07-2024 22:01:00		
Site	2/07/2024	11:14:00 PM	CV Drift	20.80%	0.0	0.00%	0.00%			02-07-2024 23:14:00		
Site	3/07/2024	12:52:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 00:52:00		
Site	3/07/2024	1:10:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 01:10:00		
Site	3/07/2024	3:05:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 03:05:00		
Site	3/07/2024	03:05:00	Shaft 6	20.80%	0.0	0.00%	0.00%			03-07-2024 03:05:00		
Site	3/07/2024	7:00:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 07:00:00		
Site	3/07/2024	07:03:00	Shaft 6	20.80%	0.0	0.00%	0.00%			03-07-2024 07:03:00		
Site	3/07/2024	7:05:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 07:05:00		
Site	3/07/2024	7:30:00 AM	Shaft 5	20.80%	0.0	0.00%	0.00%			03-07-2024 07:30:00		
Site	3/07/2024	7:49 AM	MIA	20.80%	0.0	0.00%	0.03%	Workshop		03-07-2024 07:49:00		
Site	3/07/2024	8:00 AM	Shaft 5	20.80%	0.0	0.00%	0.00%			03-07-2024 08:00:00		
Site	3/07/2024	8:24 AM	Shaft 5	20.80%	0.0	0.00%	0.00%			03-07-2024 08:24:00		
Site	3/07/2024	8:25	MIA	20.80%	66.0	0.00%	0.03%	Dump area		03-07-2024 08:25:00		
Site	3/07/2024	9:00:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 09:00:00		
Site	3/07/2024	10:00 AM	Shaft 5	20.80%	0.0	0.00%	0.00%			03-07-2024 10:00:00		
Site	3/07/2024	11:00:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 11:00:00		
Site	3/07/2024	11:03:00	Shaft 6	20.80%	0.0	0.00%	0.00%			03-07-2024 11:03:00		
Site	3/07/2024	11:04:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 11:04:00		
Site	3/07/2024	12:00 PM	Shaft 5	20.80%	0.0	0.00%	0.00%	notable smell		03-07-2024 12:00:00		
Site	3/07/2024	12:10:00 PM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 12:10:00		
Site	3/07/2024	12:40	MIA	20.90%	47.0	0.00%	0.03%	LW access road - Benzene 0.12		03-07-2024 12:40:00		
Site	3/07/2024	12:59:00	Shaft 6	20.80%	0.0	0.00%	0.00%			03-07-2024 12:59:00		
Site	3/07/2024	1:00:00 PM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 13:00:00		
Site	3/07/2024	3:00:00 PM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 15:00:00		
Site	3/07/2024	18:57:00	Shaft 6	20.80%	0.0	0.00%	0.00%			03-07-2024 18:57:00		
Site	3/07/2024	10:24:00 PM	CV Drift	20.80%	0.0	0.00%	0.00%			03-07-2024 22:24:00		
Site	3/07/2024	22:32:00	105_Mid_Pillar_shaft	20.80%	0.0	0.00%	0.00%			03-07-2024 22:32:00		
Site	4/07/2024	00:10:00	105_Mid_Pillar_shaft	20.80%	0.0	0.00%	0.00%			04-07-2024 00:10:00		
Site	4/07/2024	4:48:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			04-07-2024 04:48:00		
Site	4/07/2024	9:50:00 AM	MM Drift	20.90%	10.0	0.00%	0.00%			04-07-2024 09:50:00		
Site	4/07/2024	9:50	MIA	20.90%	0.0	0.00%	0.00%	MIA Area		04-07-2024 09:50:00		
Site	4/07/2024	10:30:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			04-07-2024 10:30:00		
Site	4/07/2024	22:11	MIA	20.90%	26.0	0.00%	0.00%	Opposite Dump area		04-07-2024 22:11:00	5/7/2024 Upload	
Site	5/07/2024	7:00:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			05-07-2024 07:00:00		
Site	5/07/2024	7:30 AM	Shaft 5	20.80%	0.0	0.00%	0.00%	150m upwind		05-07-2024 07:30:00		
Site	5/07/2024	08:00:00	Shaft 6	20.80%	0.0	0.00%	0.00%			05-07-2024 08:00:00		
Site	5/07/2024	11:00:00 AM	CV Drift	20.80%	0.0	0.00%	0.00%			05-07-2024 11:00:00		
Site	5/07/2024	11:30 AM	Shaft 5	20.80%	0.0	0.00%	0.00%	150m upwind		05-07-2024 11:30:00		
Site	5/07/2024	12:00:00	Shaft 6	20.80%	0.0	0.00%	0.00%			05-07-2024 12:00:00		
Site	5/07/2024	3:00:00 PM	MIA	20.90%	7.0	0.00%	0.00%	Rear of Workshop - moved from M&M tab to MIA		05-07-2024 15:00:00		
Site	5/07/2024	3:10:00 PM	MIA	20.90%	0.0	0.00%	0.00%	go line		05-07-2024 15:10:00		
Site	6/07/2024	10:00:00 AM	MIA	20.90%	0.0	0.00%	0.00%	Rear of Workshop - moved from M&M tab to MIA		06-07-2024 10:00:00		
Site	6/07/2024	10:00:00 AM	MIA	20.90%	0.0	0.00%	0.00%	go line		06-07-2024 10:00:00	6/07/2024 10:00:00 AM Upload	



- 1 CV Drift
- 2 M&M Drift
- 3 MIA
- 4 Shaft 6
- 5 Water tower

			Instrument	MX6 Gas Detector					Draeger X-PID					Multi Rae		Tiger		MX6 (SO2)		Other (ppm) (1st day multiple units used)			
Position	Location	GPS Coordinates	Date	Time	O2	NO2	H2S	CO	CH4	CO2	Benzene	Toluene	Xylene	EthylBenz	Acroline	Phosphene	Phosphene	SO2	Total VOC	Test Vac	Total VOC 2	Handwritten notes beside these rows on hard copy	Other handwritten notes on sheet
					Exposure limits	3ppm	10ppm	30ppm	-	12500	1ppm		50	80	100	0.1ppm	0.3ppm	0.3ppm	2				
1	Carpark - bottom	21.97479degrees S, 148.00996 degrees E	1/07/2024	12:20	21.30	0.00	0.00	0.00	0.06	0.30	0.00	0.00	0.00	0.00	0.00							0.00	
	Main bath house		1/07/2024	12:24	21.30	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00							0.00	
2	Go line	21.97448degrees S, 148.01071 degrees E	1/07/2024	12:30	21.40	0.00	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00							0.60	
	Control room		1/07/2024	12:35	21.40	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00							0.05	
4	Operations Building		1/07/2024	12:43	21.50	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00							0.70	
	Front of workshop	21.97329 degrees S, 148.00976 degrees E	1/07/2024	12:49	21.40	0.00	0.60	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00							0.00	
	Rear of MNM - access road		1/07/2024	12:59	21.20	0.00	1.10	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00							0.06	
4	Front of workshop	21.97329 degrees S, 148.00976 degrees E	1/07/2024	13:05	21.50	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00							0.00	
4	Front of workshop	21.97329 degrees S, 148.00976 degrees E	1/07/2024	13:53	21.50	0.00	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00							0.00	
	Main admin		1/07/2024	13:57	21.40	0.00	0.00	0.00	0.00	0.26	0.00	0.00	0.00	0.00	0.00							0.07	
8	CV Drift - west side access road	21.96258 degrees S, 147.99868 degrees E	1/07/2024	15:06	21.40	0.00	0.00	5.00	0.00	0.28	0.05	0.00	0.00	0.00	0.00	0.24	0.20					0.00	
7	CV Drift - conveyor equipment	21.96320 degrees S, 147.99864 degrees E	1/07/2024	15:15	21.40	0.00	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00	0.00	0.37					0.00	
	Vent shaft 6		1/07/2024	15:20	21.50	0.00	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00		0.43					0.00	
4	Front of workshop	21.97329 degrees S, 148.00976 degrees E	1/07/2024	16:08	21.60	0.00	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00		0.22					0.00	
4	Front of workshop	21.97329 degrees S, 148.00976 degrees E	1/07/2024	16:12	21.50	0.00	0.00	5.00	0.00	0.30	0.15	0.00	0.00	0.00	0.00	0.00	0.82						
2	Go-line	21.97448degrees S, 148.01071 degrees E	1/07/2024	16:25	21.50	0.00	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00		0.29						
	Control room		1/07/2024	16:30	21.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.31						
	Bath house		1/07/2024	16:35	21.50	0.00	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00	0.50	0.00						
1	Carpark - bottom	21.97479degrees S, 148.00996 degrees E	1/07/2024	16:40	21.50	0.00	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00	0.00	0.25						
9	Hub Carpark	21.97681 degrees S, 148.00975 degrees E	1/07/2024	16:49													0.28						
9	Hub Carpark	21.97681 degrees S, 148.00975 degrees E	2/07/2024	15:37	20.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
7	CV Drift - conveyor equipment	21.96320 degrees S, 147.99864 degrees E	2/07/2024	15:54	20.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
	Shaft 6		2/07/2024	16:04	20.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
	Shaft 6 Carpark		2/07/2024	16:10	20.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00						
	EPCM Access Road		2/07/2024	16:21	20.90																		
1	Carpark - bottom	21.97479degrees S, 148.00996 degrees E	2/07/2024	18:45	20.90	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00					0.02	
2	Go-line	21.97448degrees S, 148.01071 degrees E	2/07/2024	18:55	20.90	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00					0.02	
3	Rear of workshop - access road	21.97312 degrees S, 148.00892 degrees E	2/07/2024	18:55	20.90	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00					0.03	
4	Front of workshop	21.97329 degrees S, 148.00976 degrees E	2/07/2024	18:58	20.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00					0.03	
5	Opposite Dump	21.97248 degrees S, 148.01036 degrees E	2/07/2024	19:10	20.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00					0.06	
6	Aux. fuel bay	21.97094 degrees S, 148.00999 degrees E	2/07/2024	19:15	20.90	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00					0.03	
7	CV Drift - conveyor equipment	21.96320 degrees S, 147.99864 degrees E	2/07/2024	19:26	20.90	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00					0.02	
8	CV Drift - west side access road	21.96258 degrees S, 147.99868 degrees E	2/07/2024	19:32	20.90	0.00	0.40	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00					0.02	
Test			2/07/2024		20.90	0.00	0.40	1.10	0.00	0.00	0.01	0.13	0.00	0.00	0.00	0.00	1.09					0.07	
1	Carpark - bottom	21.97479degrees S, 148.00996 degrees E	3/07/2024	1:15	20.9	0.00	0.5	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.01			
1	Carpark - bottom	21.97479degrees S, 148.00996 degrees E	3/07/2024	1:15													0.00						
2	Go-line	21.97448degrees S, 148.01071 degrees E	3/07/2024	1:20	20.9	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0								

	Time	O2	NO2	H2S	CO	CH4	CO2	SO2	Benzene	Toluene	Xylene	Ethylene	Acroline	Phosphene
Town square	14:10	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grosvenor estate	14:25	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital	14:18	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Edge of mine - Freo yard	14:37	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Published on DETSI Disclosure Log
RTI Act 2009

	Time	O2	NO2	H2S	CO	CH4	CO2	SO2	Benzene	Toluene	Xylene	Ethylene	Acroline	Phosphene
Town square	14:51	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grosvenor estate	14:57	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital	14:40	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Edge of mine - Freo yard	14:07	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Published on DETSI Disclosure Log
RTI Act 2009

	Time	O2	NO2	H2S	CO	CH4	CO2	SO2	Benzene	Toluene	Xylene	Ethylene	Acroline	Phosphene
Town square	14:50	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grosvenor estate	14:57	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital	15:07	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grosvenor village	15:02	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

	Time	O2	NO2	H2S	CO	CH4	CO2	SO2	Benzene	Toluene	Xylene	Ethylene	Acroline	Phosphene
Town square	11:20	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grosvenor estate	11:28	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital	11:12	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Edge of mine - Freo yard	11:34	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

	Time	O2	NO2	H2S	CO	CH4	CO2	SO2	Benzene	Toluene	Xylene	Ethylene	Acroline	Phosphene
Town square														
Grosvenor estate														
Hospital														
Edge of mine - Freo yard														

Published on DETSI Disclosure Log
RTI Act 2009

	Time	O2	NO2	H2S	CO	CH4	CO2	SO2	Benzene	Toluene	Xylene	Ethylene	Acroline	Phosphene
Town square														
Grosvenor estate														
Hospital														
Edge of mine - Freo yard														

Published on DETSI Disclosure Log
RTI Act 2009

	Time	O2	NO2	H2S	CO	CH4	CO2	SO2	Benzene	Toluene	Xylene	Ethylene	Acroline	Phosphene
Town square	14:51	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grosvenor estate	14:57	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital	14:40	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Edge of mine - Freo yard	14:07	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Published on DETSI Disclosure Log
RTI Act 2009

	Time	O2	NO2	H2S	CO	CH4	CO2	SO2	Benzene	Toluene	Xylene	Ethylene	Acroline	Phosphene
Town square	14:50	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grosvenor estate	14:57	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital	15:07	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grosvenor village	15:02	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

	Time	O2	NO2	H2S	CO	CH4	CO2	SO2	Benzene	Toluene	Xylene	Ethylene	Acroline	Phosphene
Town square	14:10	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grosvenor estate	14:25	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital	14:18	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Edge of mine - Freo yard	14:37	ok	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00