

I, ADRIAN MATTHEWS ON BEHALF OF BEN HALL in charge of the EUNGALLA N.P. DISTRICT

Rural Operations Area / Fire Warden's District, hereby grant to: s.73

of: s.73 THORNAL'S RD FINCH HATTON, 4756, Ph: s.73

Street address Suburb/Town/Locality Postcode

a Permit to Light Fire in the open on the following Lot No (s) and Plan No (s) s.73

also known as: s.73 THORNAL'S RD Must be provided

Address

for the specific purpose of: hazard mitigation, debris removal, weed control, pasture management, other HAZARD REDUCTION

Subject to the following conditions:

- A firebreak sufficient to prevent the spread of fire is to be in place. **For this permit**, breaks are to be: 5m BARE EARTH slashed, mown, bare earth, natural, etc and to a width of: 5 metres.
- The fire is not to be lit if the wind is, or is forecast to be of a strength and / or direction to cause the spread of the fire beyond the planned boundary of the fire **or**, cause smoke to be a nuisance to a neighbour. **For this permit**, the fire is **not** to be lit if the wind is forecast to exceed 25 kph and / or is blowing from the -
- There must be enough capable persons and equipment in attendance (see Note1 below) to control the fire and prevent it's spread beyond the planned boundary of the fire.
For this permit, there are to be 3 capable persons and the following equipment on site and in close attendance on the fire:
.....
- If the fire (or smoke) is likely to affect a road, precautions must be taken as follows: SIGNS (SMOKE HAZARD) TO BE DIRECTED
- The fire must not be lit before / after - 2 am / pm or between and
- To avoid nuisance and unnecessary QFRS responses, the permit holder **must** notify Firecom on **1800** 6070476 immediately prior to lighting the fire.
- The local Urban / Rural Fire Brigade must be notified prior to lighting. The contact details for the brigade are: FINCH HATTON
- The permit holder **must** have a copy of the permit in their possession before lighting and until the fire is out.
- After burning, the perimeter **must** be made safe and the fire patrolled until the fire is out.
- Other conditions: NOTIFIED NEIGHBOURS PRIOR TO IGNITION

This permit covers the period from: 30/1/18 to 4/2/18 **Note: If the fire is not out when the Permit expires, the Fire warden must be contacted**

Date: 30/1/18 Signed: s.73 ON BEHALF OF BEN HALL
ADRIAN MATTHEWS (Fire Warden)

Note 1. Persons must be physically and mentally capable to combat the fire and be close enough to take immediate action.

This copy is the latest version.

It is the responsibility of the user to verify





Permit to Light Fire

F 160565

The applicant for this permit acknowledges that he/she has made full disclosure of all orders, notices, notifications or restrictions currently affecting the land the subject of this permit, to the issuing fire warden at the time of making the application. The requirement to make disclosure is one of the conditions upon which this permit is issued.

I, Garth Leckie for Ben Hall in charge of the Eungella NP.

Rural Operations Area / Fire Warden's District, hereby grant to: s.73

of: s.73 MAULAY - EUNGELLA RD, NATHURDINE, Ph: s.73

a Permit to Light Fire in the open on the following Lot No (s) and Plan No (s): s.73 Must be provided

also known as: (ABOVE)

for the specific purpose of: hazard mitigation, debris removal, weed control, pasture management, other: WAND CONTROL

Subject to the following conditions:

1. A firebreak sufficient to prevent the spread of fire is to be in place. For this permit, breaks are to be: WASH TRAILS / SHORT / MOW / GRASS slashed, mown, bare earth, natural, etc and to a width of: 4 metres.

2. The fire is not to be lit if the wind is, or is forecast to be of a strength and / or direction to cause the spread of the fire beyond the planned boundary of the fire or, cause smoke to be a nuisance to a neighbour. For this permit, the fire is not to be lit if the wind is forecast to exceed 20 kph and / or is blowing from the

3. There must be enough capable persons and equipment in attendance (see Note1 below) to control the fire and prevent it's spread beyond the planned boundary of the fire.

For this permit, there are to be 2 capable persons and the following equipment on site and in close attendance on the fire:

WATER PUMP, TRACTOR, 300L SPRAY UNIT

4. If the fire (or smoke) is likely to affect a road, precautions must be taken as follows: SMOKE HAZARD SIGNAGE IF APPLICABLE

5. The fire must not be lit before / after 7:00 am / pm or between - and -

6. To avoid nuisance and unnecessary QFRS responses, the permit holder must notify Firecom on 1800 6704 76 immediately prior to lighting the fire.

7. The local Urban / Rural Fire Brigade must be notified prior to lighting. The contact details for the brigade are: EUNGELLA RURAL FIRE BRIGADE

8. The permit holder must have a copy of the permit in their possession before lighting and until the fire is out.

9. After burning, the perimeter must be made safe and the fire patrolled until the fire is out.

10. Other conditions:

This permit covers the period from: 8 / 2 / 18 to 8 / 3 / 18 Note: If the fire is not out when the Permit expires, the Fire warden must be contacted

Date: 7 / 2 / 18 Signed: s.73 (Fire Warden)

Note 1. Persons must be physically and mentally capable to combat the fire and be close enough to take immediate action.

Published on DEEDS
Disclosure Log
RTI Act 2009



Permit to Light Fire

F 160566

The applicant for this permit acknowledges that he/she has made full disclosure of all orders, notices, notifications or restrictions currently affecting the land the subject of this permit, to the issuing fire warden at the time of making the application. The requirement to make disclosure is one of the conditions upon which this permit is issued.

I, ADRIAN MATTHEWS ON BEHALF OF BEN HALL in charge of the KINCILLA M.P. DISTRICT

Rural Operations Area / Fire Warden's District, hereby grant to: s.73

of: s.73 KINCILLA/MACKAY RD NETHERDALE 4756, Ph: s.73
Street address Suburb/Town/Locality Postcode

a Permit to Light Fire in the open on the following Lot No (s) and Plan No (s): s.73
Must be provided

also known as: s.73 MACKAY/KINCILLA RD NETHERDALE 4756
Address

for the specific purpose of: hazard mitigation, debris removal, weed control, pasture management, other BURN WOOD (LANTANA) STACKS

Subject to the following conditions:

- A firebreak sufficient to prevent the spread of fire is to be in place. **For this permit**, breaks are to be: 3.6m EARTH BANKS 760
slashed, mown, bare earth, natural, etc and to a width of: 3.6 metres.
- The fire is not to be lit if the wind is, or is forecast to be of a strength and / or direction to cause the spread of the fire beyond the planned boundary of the fire **or**, cause smoke to be a nuisance to a neighbour. **For this permit**, the fire is **not** to be lit if the wind is forecast to exceed 20kph kph and / or is blowing from the N/A
- There must be enough capable persons and equipment in attendance (see Note1 below) to control the fire and prevent it's spread beyond the planned boundary of the fire.
For this permit, there are to be 4 capable persons and the following equipment on site and in close attendance on the fire:
WATER CART/FIRE FIGHTER
- If the fire (or smoke) is likely to affect a road, precautions must be taken as follows: SMOKE HAZARD SIGNAGE ERECTED IF NEAR ROAD
- The fire must not be lit before / after 3 am / pm or between 7 and 7
- To avoid nuisance and unnecessary QFRS responses, the permit holder **must** notify Firecom on **1800** 670 476 immediately prior to lighting the fire.
- The local Urban / Rural Fire Brigade must be notified prior to lighting. The contact details for the brigade are: KINCILL HATSON/DALY HIGGINS
- The permit holder **must** have a copy of the permit in their possession before lighting and until the fire is out.
- After burning, the perimeter **must** be made safe and the fire patrolled until the fire is out.
- Other conditions:

This permit covers the period from: 14/2/18 to 14/3/18 **Note: If the fire is not out when the Permit expires, the Fire warden must be contacted**

Date: 13/2/18 Signed: s.73 ON BEHALF OF BEN HALL
Note 1. Persons must be physically and mentally capable to combat the fire and be close enough to take immediate action. (Fire Warden)

1. Adrian Motitens on behalf of Ben Hall in charge of the LUNGELLA N.P.

Rural Operations Area / Fire Warden's District, hereby grant to: s.73

of: s.73 MACKAY - LUNGELLA RD NATHERDALE 4756, Ph: s.73
Street address Suburb/Town/Locality Postcode

a Permit to Light Fire in the open on the following Lot No (s) and Plan No (s): s.73 LUNGELLA - MACKAY RD NATHERDALE s.73
Address must be provided

also known as: s.73

for the specific purpose of: hazard mitigation, debris removal, weed control, pasture management, other: HAZARD REDUCTION & LANTANA CONTROL

Subject to the following conditions:

1. A firebreak sufficient to prevent the spread of fire is to be in place. **For this permit**, breaks are to be: 3M CLEARED EARTH
slashed, mown, bare earth, natural, etc and to a width of: 3 metres.
2. The fire is not to be lit if the wind is, or is forecast to be of a strength and / or direction to cause the spread of the fire beyond the planned boundary of the fire **or**, cause smoke to be a nuisance to a neighbour. **For this permit**, the fire is **not** to be lit if the wind is forecast to exceed 20 kph and / or is blowing from the N/A
3. There must be enough capable persons and equipment in attendance (see Note1 below) to control the fire and prevent it's spread beyond the planned boundary of the fire.
For this permit, there are to be 3 capable persons and the following equipment on site and in close attendance on the fire:
TRACTOR & WATER CART / 2 KWAPSACKS / BEATERS
4. If the fire (or smoke) is likely to affect a road, precautions must be taken as follows: SMOKE HAZARD SIGNS UPRIGHT
5. The fire must not be lit before / after 2 am / pm or between - and -.
6. To avoid nuisance and unnecessary QFRS responses, the permit holder **must** notify Firecom on **1800** 670 476 immediately prior to lighting the fire.
7. The local Urban / Rural Fire Brigade must be notified prior to lighting. The contact details for the brigade are: FINCH HATTON / DALYMPLE HEIGHTS
8. The permit holder **must** have a copy of the permit in their possession before lighting and until the fire is out.
9. After burning, the perimeter **must** be made safe and the fire patrolled until the fire is out.
10. Other conditions: LET NEIGHBOURS KNOW PRIOR TO IGNITION

This permit covers the period from: 26/4/18 to 9/5/18 **Note: If the fire is not out when the Permit expires, the Fire warden must be contacted**

Date: 26/4/18 Signed: s.73 ON BEHALF OF BEN HALL
(Fire Warden)

Note 1. Persons must be physically and mentally capable to combat the fire and be close enough to take immediate action.



CSO 010

This document is maintained in electronic form. The approved version of this document is the electronic version.

Published on DES
Disclosure Log
RTI Act 2009

1. ADRIAN MATTHEWS ON BEHALF OF BEN HALL in charge of the KUNGELLA N.P.

Rural Operations Area / Fire Warden's District, hereby grant to: s.73

of: s.73 MACKAY KUNGELLA RD NATHERDALE, 4756, Ph: s.73

Street address Suburb/Town/Locality Postcode

a Permit to Light Fire in the open on the following Lot No (s) and Plan No (s) s.73

also known as: s.73 MACKAY KUNGELLA RD (FOOD PAL) NATHERDALE Must be provided

Address

for the specific purpose of: hazard mitigation, debris removal, weed control, pasture management, other DEBRIS REMOVAL / TIMBER STACKS

Subject to the following conditions:

1. A firebreak sufficient to prevent the spread of fire is to be in place. **For this permit**, breaks are to be: 3M EARTH BREAKS
slashed, mown, bare earth, natural, etc and to a width of: 3 metres.
2. The fire is not to be lit if the wind is, or is forecast to be of a strength and / or direction to cause the spread of the fire beyond the planned boundary of the fire **or**, cause smoke to be a nuisance to a neighbour. **For this permit**, the fire is **not** to be lit if the wind is forecast to exceed 20 kph and / or is blowing from the N/A
3. There must be enough capable persons and equipment in attendance (see Note1 below) to control the fire and prevent it's spread beyond the planned boundary of the fire.
For this permit, there are to be 3 capable persons and the following equipment on site and in close attendance on the fire:
1 TRACTOR WITH WATER TANK & KNAPSACKS / BEATERS
4. If the fire (or smoke) is likely to affect a road, precautions must be taken as follows: ERECT SMOKE HAZARD SIGNS
5. The fire must not be lit before / after 2 am / pm or between 1 and 1
6. To avoid nuisance and unnecessary QFRS responses, the permit holder **must** notify Firecom on **1800** 670476 immediately prior to lighting the fire.
7. The local Urban / Rural Fire Brigade must be notified prior to lighting. The contact details for the brigade are: FINCH HATTON / DALYMPLE HEIGHTS
8. The permit holder **must** have a copy of the permit in their possession before lighting and until the fire is out.
9. After burning, the perimeter **must** be made safe and the fire patrolled until the fire is out.
10. Other conditions: LET NEIGHBOURS KNOW PRIOR TO IGNITION

This permit covers the period from: 24/4/18 to 14/5/18 **Note: If the fire is not out when the Permit expires, the Fire warden must be contacted**

Date: 27/4/18 Signed: s.73 ON BEHALF OF BEN HALL

Note 1. Persons must be physically and mentally capable to combat the fire and be close enough to take immediate action. (Fire Warden)

1. Grab Lennox in charge of the Engella NP
Rural Operations Area / Fire Warden's District, hereby grant to: s.73
of: s.73 Mulvey-Engella RD. Engella HATTON, 4756, Ph: 0458658199.
a Permit to Light Fire in the open on the following Lot No (s) and Plan No (s): s.73 THORNE RD. Engella HATTON.
also known as: s.73 THORNE RD. Engella HATTON.
for the specific purpose of: REMOVAL OF SUGARCANE TRASH & TOP
Subject to the following conditions:
1. A firebreak sufficient to prevent the spread of fire is to be in place. **For this permit**, breaks are to be: SUBSIDED
slashed, mown, bare earth, natural, etc 3 metres.
2. The fire is not to be lit if the wind is, or is forecast to be of a strength and / or direction to cause the spread of the fire beyond the planned boundary of the fire **or**, cause smoke to be a nuisance to a neighbour. **For this permit**, the fire is **not** to be lit if the wind is forecast to exceed 25 kph and / or is blowing from the NA.
3. There must be enough capable persons and equipment in attendance (see Note 1 below) to control the fire and prevent it's spread beyond the planned boundary of the fire.
For this permit, there are to be 2 capable persons and the following equipment on site and in close attendance on the fire:
1000 LITRE TANKER WITH POWER SPRAY.
4. If the fire (or smoke) is likely to affect a road, precautions must be taken as follows: ERECT SMOKE UPWARD SIGNS
5. The fire must not be lit before / after NA am / pm or between NA and NA.
6. To avoid nuisance and unnecessary QFRS responses, the permit holder **must** notify Firecom on **1800** 670 476 immediately prior to lighting the fire.
7. The local Urban / Rural Fire Brigade must be notified prior to lighting. The contact details for the brigade are: Engella HATTON.
8. The permit holder **must** have a copy of the permit in their possession before lighting and until the fire is out.
9. After burning, the perimeter **must** be made safe and the fire patrolled until the fire is out.
10. Other conditions: NOTIFY NEIGHBOURS PRIOR TO IGNITION
This permit covers the period from: 7/6/18 to 30/11/18 **Note: If the fire is not out when the Permit expires, the Fire warden must be contacted**
Date: 9/6/18 Signed: s.73 Joan Paul HALL
(Fire Warden)
Note 1. Persons must be physically and mentally capable to combat the fire and be close enough to take immediate action.

of:

s.73

BLINKS ROAD

Street address

FINCH HATTON

Suburb/Town/Locality

4757

Ph:

s.73

a Permit to Light Fire in the open on the following Lot No (s) and Plan No (s)

s.73

Must be provided

also known as:

THORNES ROAD FINCH HATTON

Address

for the specific purpose of: hazard mitigation, debris removal, weed control, pasture management, other

PRE-HARVEST BURN & HAZARD REDUCTION

Subject to the following conditions:

1. A firebreak sufficient to prevent the spread of fire is to be in place. **For this permit**, breaks are to be: SLASHED HEADLANDS FREE OF FLAMMABLE MATERIAL
slashed, mown, bare earth, natural, etc
& WET DOWN PRIOR TO IGNITION and to a width of: 3 metres.
2. The fire is not to be lit if the wind is, or is forecast to be of a strength and / or direction to cause the spread of the fire beyond the planned boundary of the fire **or**, cause smoke to be a nuisance to a neighbour. **For this permit**, the fire is **not** to be lit if the wind is forecast to exceed 20 kph and / or is blowing from the
3. There must be enough capable persons and equipment in attendance (see Note1 below) to control the fire and prevent it's spread beyond the planned boundary of the fire.
For this permit, there are to be 2-3 capable persons and the following equipment on site and in close attendance on the fire:
TRACTOR SPRAY UNIT
4. If the fire (or smoke) is likely to affect a road, precautions must be taken as follows: SMOKE HAZARD SIGNS ERECTED PRIOR TO IGNITION
5. The fire must not be lit before / after 2 am / pm or between and
6. To avoid nuisance and unnecessary QFRS responses, the permit holder **must** notify Firecom on 1800 670 476 immediately prior to lighting the fire.
7. The local Urban / Rural Fire Brigade must be notified prior to lighting. The contact details for the brigade are: FINCH HATTON
8. The permit holder **must** have a copy of the permit in their possession before lighting and until the fire is out.
9. After burning, the perimeter **must** be made safe and the fire patrolled until the fire is out.
10. Other conditions: LET NEIGHBOURS KNOW PRIOR TO IGNITION

This permit covers the period from: 25 / 6 / 18 to 20 / 12 / 18

Note: If the fire is not out when the Permit expires, the Fire warden must be contacted

Date: 25 / 6 / 18

Signed:

s.73

ON BEHALF OF BEN HALL

(Fire Warden)

Note 1. Persons must be physically and mentally capable to combat the fire and be close enough to take immediate action.

(Fire Warden)



Permit to Light Fire

F 160571

The applicant for this permit acknowledges that he/she has made full disclosure of all orders, notices, notifications or restrictions currently affecting the land the subject of this permit, to the issuing fire warden at the time of making the application. The requirement to make disclosure is one of the conditions upon which this permit is issued.

I, AORIAN MATTHEWS ON BEHALF OF BEN HALL in charge of the PUNGALLA N.P / CRADITON

Rural Operations Area / Fire Warden's District, hereby grant to: s.73

of: LUCAS Paddock Rd (734) Pinnacle, 4741, Ph: s.73

a Permit to Light Fire in the open on the following Lot No (s) and Plan No (s) L2 CP 899 741, L3 899 742 4741 4741 4741

also known as: TEMBURRA STATION

for the specific purpose of: debris removal, weed control, pasture management, other.....

Subject to the following conditions:

1. A firebreak sufficient to prevent the spread of fire is to be in place. For this permit, breaks are to be: BARA BARTH / UNFLAMMABLE 5 metres.

2. The fire is not to be lit if the wind is, or is forecast to be of a strength and / or direction to cause the spread of the fire beyond the planned boundary of the fire or, cause smoke to be a nuisance to a neighbour. For this permit, the fire is not to be lit if the wind is forecast to exceed 25 kph and / or is blowing from the N/A

3. There must be enough capable persons and equipment in attendance (see Note1 below) to control the fire and prevent it's spread beyond the planned boundary of the fire. For this permit, there are to be 3 capable persons and the following equipment on site and in close attendance on the fire:

4. If the fire (or smoke) is likely to affect a road, precautions must be taken as follows: ERECT SMOKE HAZARD SIGNS ON ALL AFFECTED ROADS

5. The fire must not be lit before / after 2 am / pm or between N/A and N/A

6. To avoid nuisance and unnecessary QFRS responses, the permit holder must notify Firecom on 1800 670 476 immediately prior to lighting the fire.

7. The local Urban / Rural Fire Brigade must be notified prior to lighting. The contact details for the brigade are: Pinnacle

8. The permit holder must have a copy of the permit in their possession before lighting and until the fire is out.

9. After burning, the perimeter must be made safe and the fire patrolled until the fire is out.

10. Other conditions: NOTIFY ALL NEIGHBOURS PRIOR TO IGNITION

This permit covers the period from: 16 / 7 / 18 to 16 / 8 / 18 Note: If the fire is not out when the Permit expires, the Fire warden must be contacted

Date: 16 / 7 / 18 Signed: s.73 ON BEHALF OF BEN HALL

Note 1. Persons must be physically and mentally capable to combat the fire and be close enough to take immediate action. (Fire Warden)



Permit to Light Fire

F 160572

The applicant for this permit acknowledges that he/she has made full disclosure of all orders, notices, notifications or restrictions currently affecting the land the subject of this permit, to the issuing fire warden at the time of making the application. The requirement to make disclosure is one of the conditions upon which this permit is issued.

I, ADRIAN MATTHEWS ON BEHALF OF BAN HALL in charge of the BUNGALLA N.P.

Rural Operations Area / Fire Warden's District, hereby grant to: s.73

of: s.73 PITIONIS RD 4756, Ph: s.73

a Permit to Light Fire in the open on the following Lot No (s) and Plan No (s) s.73 Suburb/Town/Locality PITIONIS RD Postcode 4756

also known as: s.73 PITIONIS RD Must be provided

for the specific purpose of: hazard mitigation, debris removal, weed control, pasture management, other LANTANA PILLS

Subject to the following conditions:

1. A firebreak sufficient to prevent the spread of fire is to be in place. For this permit, breaks are to be: BARE EARTH slashed, mown, bare earth, natural, etc and to a width of: 4 metres.
2. The fire is not to be lit if the wind is, or is forecast to be of a strength and / or direction to cause the spread of the fire beyond the planned boundary of the fire or, cause smoke to be a nuisance to a neighbour. For this permit, the fire is not to be lit if the wind is forecast to exceed 20 kph and / or is blowing from the SW
3. There must be enough capable persons and equipment in attendance (see Note1 below) to control the fire and prevent it's spread beyond the planned boundary of the fire. For this permit, there are to be 4 capable persons and the following equipment on site and in close attendance on the fire: TRACTOR WITH SPRAY UNIT
4. If the fire (or smoke) is likely to affect a road, precautions must be taken as follows: ERECT SMOKE HAZARD SIGNS
5. The fire must not be lit before / after 2 am / pm or between N/A and N/A
6. To avoid nuisance and unnecessary QFRS responses, the permit holder must notify Firecom on 1800 670 476 immediately prior to lighting the fire.
7. The local Urban / Rural Fire Brigade must be notified prior to lighting. The contact details for the brigade are: FINCH HATTON (CHIPPY) / BUNGALLA
8. The permit holder must have a copy of the permit in their possession before lighting and until the fire is out.
9. After burning, the perimeter must be made safe and the fire patrolled until the fire is out.
10. Other conditions: NOTIFY NEIGHBOURS PRIOR TO IGNITION

This permit covers the period from: 15/8/18 to 18/8/18 Note: If the fire is not out when the Permit expires, the Fire warden must be contacted

Date: 16/8/18 Signed: s.73 ON BEHALF OF BAN HALL

Note 1. Persons must be physically and mentally capable to combat the fire and be close enough to take immediate action. (Fire Warden)



Permit to Light Fire

F 160573

The applicant for this permit acknowledges that he/she has made full disclosure of all orders, notices, notifications or restrictions currently affecting the land the subject of this permit, to the issuing fire warden at the time of making the application. The requirement to make disclosure is one of the conditions upon which this permit is issued.

I, ADRIAN MATTHEWS ON BEHALF OF BAN HALL in charge of the BONGALLA N.P.

Rural Operations Area / Fire Warden's District, hereby grant to: s.73

of: s.73 MACRAY BONGALLA RD NETHERDALE QLD 4756, Ph: s.73

a Permit to Light Fire in the open on the following Lot No (s) and Plan No (s): s.73 Suburb/Town/Locality Postcode

also known as: s.73 MACRAY BONGALLA RD Must be provided

for the specific purpose of: hazard mitigation, debris removal, weed control, pasture management, other: ALL OF ABOVE

Subject to the following conditions:

- A firebreak sufficient to prevent the spread of fire is to be in place. For this permit, breaks are to be: SLASHED slashed, mown, bare earth, natural, etc and to a width of: 10 metres.
- The fire is not to be lit if the wind is, or is forecast to be of a strength and / or direction to cause the spread of the fire beyond the planned boundary of the fire or, cause smoke to be a nuisance to a neighbour. For this permit, the fire is not to be lit if the wind is forecast to exceed 20 kph and / or is blowing from the —
- There must be enough capable persons and equipment in attendance (see Note1 below) to control the fire and prevent it's spread beyond the planned boundary of the fire. For this permit, there are to be 3 capable persons and the following equipment on site and in close attendance on the fire: 2X FIRE UNITS
- If the fire (or smoke) is likely to affect a road, precautions must be taken as follows: ERECT SMOKE HAZARD SIGNS
- The fire must not be lit before / after 2 am / pm or between — and —
- To avoid nuisance and unnecessary QFRS responses, the permit holder must notify Firecom on 1800 670 476 immediately prior to lighting the fire.
- The local Urban / Rural Fire Brigade must be notified prior to lighting. The contact details for the brigade are: FINCH HATTON / BONGALLA
- The permit holder must have a copy of the permit in their possession before lighting and until the fire is out.
- After burning, the perimeter must be made safe and the fire patrolled until the fire is out.
- Other conditions: NOTIFY NEIGHBOURS PRIOR TO IGNITION

This permit covers the period from: 24 / 8 / 18 to 2 / 9 / 18 Note: If the fire is not out when the Permit expires, the Fire warden must be contacted

Date: 10 / 8 / 18 Signed: s.73 ON BEHALF BAN HALL (Fire Warden)

Note 1. Persons must be physically and mentally capable to combat the fire and be close enough to take immediate action.



E 550525

PERMIT TO LIGHT FIRE

I, Craig Boxer in charge of the Whitsunday Islands
 (*Chief Fire Warden, Fire Warden, Inspector)

Fire Warden's District/Chief Fire Warden's District/Rural Fire Service District, do hereby grant to s.73
of Palm Bay Resort Post Code: 4141

Ph: s.73 a permit to light a fire in the open air on Lot No. 5, R.P.No. HR809
for the specific purpose of Burning Green Waste subject to the following conditions:-

1. Owners or occupiers of all adjoining land must have been notified of the intention to apply for a permit to light fire.
(See Note 1 below)
2. A firebreak consisting of Sand (type) to a width of 10 metres, must be established around the site of the fire before lighting.
3. The fire is not to be lit if the wind exceeds 24 km/hr, or if the wind is blowing from _____. (See Note 2 below)
4. There must be 3 capable persons in close attendance at the fire. (See Note 3 below)
5. The following equipment must be on hand at all times:-
 - (a) Hand equipment Two Rake Hoes and Two shovels
 - (b) Power equipment fire hose with pump and on site water tank
 - (c) Vehicles _____
6. The fire must not be lit before 14:00 am/pm.
7. If the smoke is likely to affect town(s) due to an inversion layer, the fire should not be lit unless there is sufficient time for the smoke to disperse before evening.
8. If burning near a road, smoke hazard precautions are required, as follows:-
Garden waste debris 6x6x2m Height
9. Other conditions Notify fire com prior to ignition
10. The permittee must have a copy of the permit in hand before lighting.
11. To avoid nuisance and wasted investigations, it is best to notify the following of intention to light:- (See Note 4 below)

Concerned Neighbours	Rural or Urban Fire Brigade	FIRECOM
Q. 125 49 625 22 8	Ph.	Ph 1800 470 476

12. After burning:-
 - (a) The perimeter of the burn must be cleared of all burning material that might allow the fire to escape.
 - (b) The area burnt must be patrolled sufficiently to ensure the fire does not escape. Permittees must attempt to control escapes, and continue to do so until the fire is controlled.
 - (c) The permit must be kept current while there is no secure edge around burning material. Phone renewals are permitted.

This permit covers the period from 29/11/2017 to 27/02/2018.

Dated 28/01/2017

Signed _____ s.73 _____
(* Chief fire warden, fire warden, inspector)

Note 1. Properties adjoin if their boundary touches the lot containing the fire area, unless there is a break clear of flammable material >10m wide.

Note 2. At 24 km/hr loose paper and dust is blown about.

Note 3. Persons must be physically and mentally capable of combating fire, and be close enough to take immediate action.

Note 4. Inexperienced persons are encouraged to seek the assistance or advice of the local volunteer Rural Fire Brigade.

* Delete whichever does not apply

18-132

File B

Page 11 of 14

WHITE - Original YELLOW - Duplicate

Authorised by: Director Rural Operations - Version 01/07/2007

Release

CSO11

Associated Permit Number



THIS IS NOT A PERMIT TO LIGHT FIRE

APPLICATION FOR PERMIT TO LIGHT FIRE

Note to Applicant: All areas of this form are to be completed before submission to the Fire Warden

To: Fire Warden: Fire Warden District:

1. Ross Martin (State full name) Ph: Mob: s.73
 Fax: Email: reception@palmbayresort.com.au
 of: Palm bay Resort, long Island whitsundays 4741
 (Street Address) (City/town/locality) (Post Code)

Being the Owner, Occupier or Caretaker of the property, or the Trustee for the owner/occupier or, being the Agent of the owner, occupier or person charged with the care and management of the property shown below, (circle appropriate), hereby apply for a permit to light a fire in the open air on the following portion (s) of that property or properties described as:

Real Property Description of the land on which the fire is to be lit: (This information is available on your Rates Notice. Note: that Street address and Lot/Plan details must both be included)

Street (No. / Name): Palm bay Resort Locality: long island Town/City: whitsundays Postcode: 4741
 Lot and Plan No (s): 5 on HR809 parish of molle (If insufficient space, list Lot/Plans on a separate document and write "see attached")

I provide the following in relation to the planned fire:

- > I request a Permit To Light Fire be issued for the following period: 27/11/17 to 27/2/18
- > Purpose of the fire: Debris Removal (eg: hazard reduction, debris removal, weed control, pasture management other eg: social bonfire)
- > Material to be burnt: garden waste (eg: stack, forest, grass, crop residue, woodchip, sawdust etc)
- > Total area to be burnt: 6x6x2 in square metres or hectares Eg: if a stack - 4m long x 3m wide x 2m high, if bush or greens - 5,000sqm or 5ha

I have taken / will take the following precautions to prevent the spread of the fire:

- > Constructed a firebreak consisting of: Sand (type) and to a width of: 10 x 10 (metres).
- > Will have the following tools / equipment on site to prevent the spread of, or to extinguish the fire: Fire hose, pump
- > Will have 2 capable persons available on site to prevent the spread of fire from the area to be burned (minimum of 2 persons)
- > I have notified, or made reasonable attempts to notify, all adjoining owners or occupiers of my intention to apply for a Permit to Light Fire, at least 72 hours prior to submitting this application.

Name of Adjoining Owner / Occupier (see notes on reverse)	Address/s	Date and Time Notified	If not notified - What reasonable attempts were made and when; advise if any objection given and reasons
we have no neighbour Currently apart from long Island Resort at Happy Bay that is not currently operating and is 1.5km away			

(Penalty for false statement - 50 penalty units or six months imprisonment or both)

- In addition to obtaining a Permit to Light fire, I understand that I must comply with Local Government, State Government and Federal Legislation when constructing fire breaks and burning vegetation.
- I understand and accept it is my responsibility to have checked with my Local Government to ensure there is no local law restricting or prohibiting the lighting of fires prior to submitting this application.
- I understand and accept that I must have obtained permission from my local government to light a fire, if required by local law, prior to submitting this application.
- I verify that there are no toxic and/or hazardous materials that will be consumed by the fire.
- I understand and accept that if the fire escapes my firebreaks, I must report this fact immediately via radio and take all reasonable steps to extinguish or control the fire until it is contained.
- I understand and accept that I am required to have a current Permit to Light Fire in my possession while this fire is still burning; and
- I understand and accept that the perimeter of the fire (s) is / are to be made safe and the fire controlled until there is no longer any risk of the fire escaping.

s.73

27-11-17

Once this application has been completed, submit it to the Fire Warden who will decide whether to grant the application. The Fire Warden may seek further details and make a decision.

Notes: (Refer brochures: Lighting fires in Queensland, Applying to Light Fires in Queensland, and Obligations and Responsibilities of Permit Holders)

Adjacent owners / occupiers are required to be given the opportunity to object to the granting of a permit. Where wider residential areas are likely to be affected by smoke, the Fire Warden may add a condition to the permit that wider advice, such as a letter-drop or notice in the media is required.

Following receipt of your application, the Fire Warden may impose conditions on a permit to reduce or warrant risk or nuisance to other people, property or to the environment. The Fire Warden must refuse to issue a permit if they believe that appropriate safety measures cannot be reasonably achieved or if they believe reasonable attempts to notify neighbours of the intention to apply for a permit have not been made.

Definitions:

Definitions of terms used are:

Term:

Definition:

Adjoining

Refers to the land mentioned in Section 64(3)(a) and (b) of the Act, namely:

- the land that touches some part of the land in question; or
- is not separated from that land by a watercourse, road, or firebreak not less than 10 metres wide and clear of all flammable material in every direction.


Owner / Occupier

Refers to the person who owns or is charged by the owner or by law with the management of the land. It includes the situation where there is no person in actual occupation of the land.

Map of Proposed Burn Area:

THIS IS NOT A PERMIT TO LIGHT FIRE

If you have a fire management plan or prescribed burn plan for the land on which you wish to burn, please provide it to your Fire Warden with this application. If not, please indicate/sketch below the area to be burned and show your breaks, property lines and adjoining land.



File B



E 550526

PERMIT TO LIGHT FIRE

I, Craig Boxer in charge of the Whitsunday Island
(*Chief Fire Warden, Fire Warden, Inspector)

Fire Warden's District/Chief Fire Warden's District/Rural Fire Service District, do hereby grant to s.73
of Long Island Resort Post Code: _____

Ph: s.73 a permit to light a fire in the open air on Lot No. 102, R.P. No. _____

for the specific purpose of Burning green waste subject to the following conditions:-

- Owners or occupiers of all adjoining land must have been notified of the intention to apply for a permit to light fire.
(See Note 1 below)
- A firebreak consisting of Gravel (type) to a width of 10 metres, must be established around the site of the fire before lighting.
- The fire is not to be lit if the wind exceeds 24 km/hr, or if the wind is blowing from _____ (See Note 2 below)
- There must be 2 capable persons in close attendance at the fire. (See Note 3 below)
- The following equipment must be on hand at all times:-
 - Hand equipment Shovels x 2 / Rakes x 2 / Fire extinguishers x 2
 - Power equipment Salt water pump to supply water if required
 - Vehicles _____
- The fire must not be lit before 15:00 am/pm.
- If the smoke is likely to affect town(s) due to an inversion layer, the fire should not be lit unless there is sufficient time for the smoke to disperse before evening.
- If burning near a road, smoke hazard precautions are required, as follows:-
green waste pile - no more than 3m x 3m x 2m
- Other conditions Notify fire comm prior to ignition
- The permittee must have a copy of the permit in hand before lighting.
- To avoid nuisance and wasted investigations, it is best to notify the following of intention to light:- (See Note 4 below)

Concerned Neighbours	Rural or Urban Fire Brigade	FIRECOM
<u>QPS</u> <u>49625228</u>	Ph. _____	Ph 1800 <u>470 478</u>

- After burning:-
 - The perimeter of the burn must be cleared of all burning material that might allow the fire to escape.
 - The area burnt must be patrolled sufficiently to ensure the fire does not escape. Permittees must attempt to control escapes, and continue to do so until the fire is controlled.
 - The permit must be kept current while there is no secure edge around burning material. Phone renewals are permitted.

This permit covers the period from 16/02/2018 to 16/03/2018

Dated 13/02/2018

Signed s.73
(* Chief Fire Warden, Fire Warden, Inspector)

Note 1. Properties adjoin if their boundary touches the lot containing the fire area, unless there is a break clear of flammable material >10m wide.

Note 2. At 24 km/hr loose paper and dust is blown about.

Note 3. Persons must be physically and mentally capable of combating fire, and be close enough to take immediate action.

Note 4. Inexperienced persons are encouraged to seek the assistance or advice of the local volunteer Rural Fire Brigade.

* Delete whichever does not apply