

From: PALM [palm@ehp.qld.gov.au]
Sent: Monday, 27 March 2017 12:46 PM
To: CR Mining

CC: s.73 irrelevant information

Subject: AR099468 EPPR00577113 TEL Abbot Point Bulkcoal

Attachments: 20170327 Abbot Point Bulkcoal TEL TC Debbie.pdf; BOM TC Debbie Advise 14.pdf

Good afternoon all

I have entered the TEL application (attached) into Ecotrack under project 223431.

I will raise an invoice for \$2438.

Kind regards

s.73 i



s.73 irrelevant info

Customer Service
Officer

Customer Service
Team/Regulatory
Capability and
Customer Service
Department of
Environment and
Heritage
Protection

Tel: 1300 130
372 (option 4)
Fax: 3330 5875
400 George
Street, BRISBANE
QLD 4000
GPO Box 2454,
BRISBANE QLD
4001



...

*make the
move*

From: s.73 irrelevant information (Abbot Point - Terminal 1) [mailto:s.73 irrelevant information@apt1.com.au]

Sent: Monday, 27 March 2017 10:32 AM

To: PALM

Cc: [s.73 irrelevant information] (Abbot Point - Terminal 1); [s.73 irrelevant information] (Abbot Point - Terminal 1); [s.73 irrelevant information]
[s.73 irrelevant information] (EHP)

Subject: EPPR00577113 TEL Abbot Point Bulkcoal

Hi PALM

Please find attached TEL from Abbot Point Bulkcoal in relation to Cat 4 Tropical Cyclone Debbie due to make landfall just north of the terminal on 28/3/2017

If you require any information or clarification please contact me on my mobile below, pending coms service coverage and availability

Regards

[s.73 irrelevant information]

[redacted]
Adani Abbot Point Coal Terminal

Office [s.73 irrelevant information] Fax +61 7 4786 0305

[s.73 irrelevant information]@apt1.com.au

Description: Description: cid:image003.png@01D22B90.7013DA80



Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.

Application form

OFFICIAL USE ONLY

DATE RECEIVED

--	--	--

FILE REF

--

PROJECT REF

--

COMPLETE FORM

☐

CORRECT AA

☐

COMPLETE FEE

☐

ADMINISTERING DISTRICT

--

ENTERED BY [SIGNATURE]

--

DATE

--	--

GUIDE

In this form: an approval is an environmental authority or development approval; and a holder is a registered operator or an environmental authority holder. The approval number and details may be found on the existing approval or quoted in other correspondence received from the administering authority.

If more space is required for any responses, please attach additional information as a separate page.

If an agent has been engaged (e.g. a consultant) to manage the application on behalf of the approval holder, please include these details in the agent details box. If this box is filled out then

the agent address will be the service address for correspondence relating to this application.

Application for a temporary emissions licence

This approved form is to be used by an approval holder to apply for a temporary emissions licence (TEL) under s.357B of the *Environmental Protection Act 1994* (EP Act).

Application details

1. Approval number

APPROVAL NUMBER

EPPR00577113

APPROVAL HOLDERS NAMES

Abbot Point Bulkcoal Pty Ltd

Agent details

If there is an agent (e.g. a consultant) managing this application, provide details below.

INDIVIDUAL OR BUSINESS NAME (INCLUDE TRADING NAME IF RELEVANT)

ABBOT POINT BULKCOAL PTY LTD

RESIDENTIAL ADDRESS OR REGISTERED BUSINESS ADDRESS (NOT A POST OFFICE BOX ADDRESS)

Level 25, 10 Eagle Street, Brisbane, QLD 4000

POSTAL ADDRESS (IF DIFFERENT FROM ABOVE)

C/O BRUCE HIGHWAY, BOWEN, QLD 4805

CONTACT PERSON

s.73 irrelevant info

PHONE

s.73 irrelevant info

FACSIMILE

07 4786 0305

EMAIL

s.73 irrelevant info@APT1.com.au

Question 2

For mining related activities where the Mining Registrar has issued a project number, provide that number.

2. List which condition/s of the approval cannot be complied with as a result of the applicable event

CONDITION(S):

As of BOM Tropical Cyclone Advise 14, Tropical Cyclone Debbie is forecasted to make landfall at 7am on Tuesday 28//2017 between Ayr and Bowen as a Category 4. Bowen itself has commence evacuation.

With the pending cyclone it is expected APCT1 will receive 400+mm of rainfall and winds in of 250km/h. The terminal has entered storm shut down, has been evacuated and power will shortly be turned off.

With the expected rain intensity and potential infrastructure damage there is potential APB could breach of our EA, including but not limited to:

- a) Conditon A9 - release of hydrocarbons, chemical or sewage
- b) Condition F1 - non compliant release from W1 and or W2
- c) Condition F2 - release of comtaminated stormwater from site
- d) Condition F3 - monitoring of released contaminats
- e) Condition F6 - non compliant release from STP
- f) Condition H1 - release of contaminats to land
- g) Condition H2 - non compliant release from W3 & W4

Action of Site have however complied with conditon A2 whereby all that is reasonable and practicable has been undertaken, including but not limited to:

- a) Infrastructure in storm park
- b) Equipment either tied down, parked up in sheds and shed secured
- c) Site Cyclone Prep Clean up undertaken
- d) Coal fines cleaned out of site sumps
- e) STP Final Effluent Tank and sewage holding tanks emptied
- f) Rising Stage Sample bottles installed and secured at licenced sample locations W2, W3 and W4.
- g) Emergency Back up sump pumps at W2, W3 and W4 fuelled up and operational
- h) There is currently no water in the Secondary Settlement Pond (SSP) to sample (W1) however samples have been collected and insitu monitoring has been undertaken at the Primary Settlement Pond which feeds the SSP

If you require additional space, please attach a separate sheet with this application.

Tick to indicate attachments: ☐

Application form
Application for a temporary emissions licence

Question 3

List condition number/s and condition description that cannot be complied with.

Question 4

Please provide supporting information to allow the administering authority to decide the application.

If details are to be included in attachments to this form please include identifying description, e.g. title, of attachments here.

3. Mining project details (where applicable)

PROJECT NUMBER (WHERE ISSUED):

PROJECT NAME (WHERE APPLICABLE):

TENEMENT TYPE AND NUMBER (E.G. ML1234) (WHERE APPLICABLE):

4. List which condition/s of the approval cannot be complied with as a result of the applicable event

CONDITION(S):

If you require additional space, please attach a separate sheet with this application.

Tick to indicate attachments:

☐

5. Outline what information has been provided in support of the release of contaminants above that conditioned in the approval.

DETAILS OF INFORMATION:

BOM Tropical Cyclone Debbie Advise #14

If you require additional space, please attach a separate sheet with this application.

Tick to indicate attachments:

☒

Application form
Application for a temporary emissions licence

Further information

The latest version of this publication and other publications referenced in this document can be found at www.ehp.qld.gov.au using the relevant publication number as a search term or by contacting Permit and Licence Management.

Where there is more than one approval holder, this declaration is to be signed by all holders.

Where the approval holder is a company, this form is to be signed by the authorised person for that company.

Privacy statement

The Department of Environment and Heritage Protection is committed to protecting the privacy, accuracy and security of your personal information in accordance with the *Information Privacy Act 2009*. The department is collecting your personal information in accordance with sections 310 to 313 of the *Environmental Protection Act 1994* in order to process your application for a change to the anniversary day for an environmental authority. The information will only be accessed by authorised employees within the department. Some of this information may be given to the Department of Natural Resources and Mines for the purpose of the joint regulation of mining activities. Your information will not be given to any other person or agency unless you have given us permission or we are authorised or required by law. All information supplied on this form may be disclosed publicly in accordance with the *Right to Information Act 2009* and *Evidence Act 1977*.

For queries about privacy matters email: privacy@ehp.qld.gov.au or telephone: (07) 3330 5436.

Please submit your completed application to:

Post:

Permit and Licence Management
Department of Environment and
Heritage Protection
GPO Box 2454
BRISBANE QLD 4001

Courier or hand delivery:

Permit and Licence Management
Department of Environment and
Heritage Protection
Level 3, 400 George Street
BRISBANE QLD 4001
Business hours: 8:30 am – 4:30 pm
business days

Enquiries:

Permit and Licence Management
Phone: 13 QGOV (13 74 68)
Fax: (07) 3330 5875
Email: palm@ehp.qld.gov.au

Declaration

Note: If you have not told the truth in this application you may be liable for prosecution under the relevant Acts or Regulations.

- I am the approval holder or authorised agent identified in Question 1.
- I do solemnly and sincerely declare that the information provided is true and correct to the best of my knowledge. I understand that it is an offence under section 480 of the *Environmental Protection Act 1994* to give to the administering authority or an authorised person a document, containing information that I know is false, misleading or incomplete in a material particular.
- I understand that all information supplied on or with this application form may be disclosed publicly in accordance with the *Right to Information Act 2009* and the *Evidence Act 1977*.
- I understand that an incomplete application may be invalid. Invalid applications will be returned without processing and will only be processed if resubmitted with all invalidating issues addressed.

Application form Application for a temporary emissions licence

APPLICANT'S NAME s.73 irrelevant informati	
APPLICANT'S SIGNATURE s.73 irrelevant informati	
POSITION OF SIGNATORY 	DATE 24/3/2017
JOINT HOLDERS NAME (IF APPLICABLE)	JOINT HOLDERS SIGNATURE (IF APPLICABLE)
JOINT HOLDERS NAME (IF APPLICABLE)	JOINT HOLDERS SIGNATURE (IF APPLICABLE)

Applicant checklist

Guidance for completing this form and submitting an application can be found in the Guideline – Temporary emissions licence (EM1129), available at www.ehp.qld.gov.au.

Where it is not practicable to pay the fee for a TEL at the time of application, the administering authority will invoice the applicant to pay the fee within the period of not less than 20 days from the date of the invoice.


Applicant checklist

- ☒ Application form(s) completed and signed
and
- ☐ Fees paid or enclosed. See [Information sheet – Fees for permits for environmentally relevant activities \(ERAs\) \(EM33\)](#) for the current fee
or
- ☒ Please send invoice for payment of fees
and
- ☐ Supporting information or accreditation attached (if applicable)

TROPICAL CYCLONE FORECAST TRACK MAP

Tropical Cyclone Debbie

Issued at 5:32 pm AEST Sunday 26 March 2017. Refer to Tropical Cyclone Advice Number 14.



From: [s.73 irrelevant information] (Abbot Point - Terminal 1) [s.73 irrelevant information]@apt1.com.au]
Sent: Monday, 27 March 2017 4:02 PM
To: [s.73 irrelevant information]
CC: [s.73 irrelevant information] (Abbot Point - Terminal 1); [s.73 irrelevant information] (Abbot Point - Terminal 1); [s.73 irrelevant information]
Subject: Additional information in relation to the TEL submitted for Abbot Point Bulkcoal

Hi [s.73 irrelevant information]

Thanks for your call earlier, please find additional information below regarding APB's TEL application

At this stage the TEL is required from Monday 27/3/2017 to Wednesday 29/3/2017, depending on the behaviour of TC Debbie and that all cyclone activity near the Terminal ceases by Wednesday, which is predicted by BOM at this stage.

Condition F1 at W1.

Under APB's EA, site is licenced to release water from W1 at the Secondary Settlement Pond (SSP) into Lake Caley if the water released is between pH 6-9 and the Total Suspended Solids is less than 30 mg/L. There are no condition requirements on measuring the volume releases or whether there is water currently in Lake Caley. When the discharge valves is opened, water is released via gravity as the discharge pipe runs under the pond wall that separates the SSP and Lake Caley or water is released via the spillway at the same location.

Currently, there is no water in the SSP however the Primary Settlement Pond (PSP) which feeds the SSP is estimated at 50% full with an insitu water quality of pH 7.04 Turbidity 13.6 NTU. A water quality sample was collected from the PSP on the 26/3/17 which is to be sent off to ALS in Brisbane once the courier services resumes which will determine Total Suspended Solids (TSS), anticipated to be Thursday and arrive at the lab Friday which is within holding times for TSS.

A potential breach at W1, in relation to TSS, may occur if the speed at which rainfall is received (at this stage 400mm) causes contaminant in the PSP or SSP to become suspended causing an exceedence of the compliance limit of 30mg/L. As you're aware, a TSS result does not determine the material that makes up the suspended solids but provides just a value, therefore soil and detritus movement in the ponds can also contribute and elevated TSS limit.

Data issued by the BOM has indicated site could receive 400mm of rainfall, in this event a release would occur via the spillway at W1. Site is currently in shut down mode with no personnel on site for safety reasons to collect a TSS sample however this can be undertaken once the site is deemed safe by the Senior Management Team and opened back up, expected Wednesday.

Lake Caley is an ephemeral system with a water quality that varies throughout the year from hyper saline to brackish, dependant on rainfall. In the event of a discharge from W1, it is anticipated there will be no environmental harm caused from an elevated TSS limit however it cannot be guaranteed the TSS will be less than 30mg/L under these extreme circumstance to comply with condition F1 or the EA. pH on site sits between 6-9 and the receiving rain will be approximately a pH of 7 therefore we do not anticipated a breach on the pH compliance limit.

Condition F1 at W2

The sample plant sump has an emergency backup pump in situ which starts operating at a low standing water level in the sump. This pump is diesel powered and is not affected by the site wide power outage that occurs as part of APB cyclone management plan. Water released from W2 must have a pH between 6-9 and again have a TSS of less than 30mg/L. A release from this location is not expected unless there is damage/failing of the backup pump or there is a rain intensity that exceeds the capacity of the pump, such as the rain intensities of this cyclone. Rising Stage Sample bottles are in situ at this location to collect a sample of the water quality released. A release is expected to be compliant with the pH limits however unlikely to be compliant with TSS. Site management system has been designed to not release from W2 and the backup pump capacity has been purchased based on site's historical rain intensities, however site has not experienced a cyclone of this size and intensity of TC Debbie or within this proximity to the terminal, as TC Debbie is predicted, since the DA's or EA were established.

Other EA conditions.

Site do not anticipated to breach other condition of the EA, such as release of sewage from the STP (Condition F6, location W7) unless there is infrastructure damage. As per the site cyclone management plans, site's all loose items, light vehicles, mobile and heavy equipment have been storm parked, tied down or parked up in sheds to prevent any projectiles causing infrastructure damage. A breach of the remaining conditions that were detailed in the TEL were included as cat 4 cyclones, which TC Debbie is expected to be when it crosses the coast line, has the potential to cause infrastructure damage.

The STP is bunded on a large concrete pad, the tanks have been emptied to low levels and no one is currently on site therefore the is no flow to the STP. Site does not expect a release to occur at W7 unless there is infrastructure damage which compromises the integrity of the tanks.

APB therefore submitted the TEL in relation to TSS limits at W1 and W2 under the provision infrastructure is not compromised by TC Debbie.

If you require any further information or clarification please do not hesitate to call

Regards

s.73 irrelevant informa

Adani Abbot Point Coal Terminal
Office +s.73 irrelevant information | Fax +61 7 4786 0305
s.73 irrelevant in@aapt1.com.au

Description: Description: cid:image003.png@01D22B90.7013DA80



Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.

From: s.73 irrelevant information (Abbot Point - Terminal 1) s.73 irrelevant information@apt1.com.au>
Sent: Monday, 27 March 2017 4:18 PM
To: s.73 irrelevant information
Cc: s.73 irrelevant information (Abbot Point - Terminal 1); s.73 irrelevant information (Abbot Point - Terminal 1); s.73 irrelevant information
Subject: RE: TEL application comments

Hi s.73 irrelevant information

Please see comments and map below

Cheers

Regards

s.73 irrelevant information

Adani Abbot Point Coal Terminal
Office s.73 irrelevant information | Fax +61 7 4786 0305
s.73 irrelevant information@apt1.com.au



Thinking big
Doing better

Our values: Courage, Trust and Commitment

From: s.73 irrelevant information [mailto:s.73 irrelevant information@ehp.qld.gov.au]
Sent: Monday, 27 March 2017 3:37 PM
To: s.73 irrelevant information (Abbot Point - Terminal 1)
Subject: TEL application comments

Hi s.73 irrelevant information

As per our discussion about the TEL application earlier, some of the points that you must provide clarification on (in addition to what was discussed) includes:

- The conditions that may be breached. It appears that conditions A9 and F6 do not need to be varied, given what you have described on the phone. As such, the TEL application should vary the following conditions: F1, F2, F3, H1 and H2. Could you make it clear in the application (email is fine) how these conditions are proposed to be varied? [Please see email just sent through](#)
- A description where the water will be discharged (i.e. coordinates for the proposed spill location), and how it will be discharged from that point (i.e. uncontrolled release – is there a spillway where the water will spill from, or is it just a wall – how do you know where the water will spill from the primary settlement pond?) [Please see email just sent through, no water will be released directly from the Primary Settlement Ponds \(PSP\) to off site. Water flows from the PSP to the Secondary Settlement Pond \(SSP \(W1\)\) to be released from site under the EA from location W1.](#)
- What parameters can the remote monitoring station measure? [pH and Standing water level in the SSP](#). Where exactly is this remote monitoring station [at W1](#), and particularly, where is this monitoring station in regards to the release of water [at the same location](#)?

- Approximately what rate will the water spill at, if you know this? And, will there be potential sediment/erosion problems? Flow would be as fast as the rainfall being received and no soil erosion as the spillway is rock lined and the gradient is low
- Does Lake Calley currently have water in it (i.e. what is the current state of the receiving environment?) The lake its self has water in it but these wet locations are further away from the release point. Please see map below.
- Include a description of the water storage areas on site, including water movement on site. SSP currently empty. PSP approx. 50% full. Sites Water Management System can hold 363 ML

Please see map to below to assist with understanding the conditions of Lake Calley – the purple outline is the extend of Lake Calley in the proximity of APB



Kind regards,



s.73 irrelevant infor
 Senior Environmental Officer (Assessment)
 Business Centre (Coal) | Coal and Central Qld Compliance
 Department of Environment and Heritage Protection

s.73 irrelevant in
 99 Hospital Road, Emerald QLD 4720
 PO Box 3028, Emerald QLD 4720



...make the move

The information in this email together with any attachments is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. There is no waiver of any confidentiality/privilege by your inadvertent receipt of this material.

Any form of review, disclosure, modification, distribution and/or publication of this email message is prohibited, unless as a necessary part of Departmental business.

If you have received this message in error, you are asked to inform the sender as quickly as possible and delete this message and any copies of this message from your computer and/or your computer system network.

Important Notice: *This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.*

From: s.73 irrelevant info (Abbot Point - Terminal 1) <s.73 irrelevant info@apt1.com.au>
Sent: Monday, 27 March 2017 5:15 PM
To: s.73 irrelevant informat
Subject: RE: TEL application comments

Hi s.73 irrel

Coords for W1 are East 611876.19 South 7800108.34 S UTM as used in Google earth pro

Please see below re other EA conditions:

A9 – this will only occur if there is infrastructure damage caused by TC Debbie

F2 – this can be excluded from the TEL

F3 – this can be removed from the TEL we can gain a sample on Wednesday

F6 - can be removed from TEL as a spill of sewage caused by damage to the STP will be addressed under condition A9

H1 - can be removed from TEL as spills caused by damage to infrastructure will be addressed under condition A9

H2 – we expect we will be compliant in relation to ph and EC from these locations

Sorry s.73 irrel all the hype about the pending Cyclone may have made me a little trigger happy with the conditions in the TEL

Cheers

From: s.73 irrelevant informa [mailto:s.73 irrelevant info@ehp.qld.gov.au]
Sent: Monday, 27 March 2017 4:20 PM
To: s.73 irrelevant info (Abbot Point - Terminal 1)
Subject: RE: TEL application comments

Hi s.73 irrel

Have you got the coordinates for W1?

Thanks,



s.73 irrelevant info
Senior Environmental Officer (Assessment)
Business Centre (Coal) | Coal and Central Qld Compliance
Department of Environment and Heritage Protection

s.73 irrelevant info
99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720



...make the move

From: s.73 irrelevant info (Abbot Point - Terminal 1) [mailto:s.73 irrelevant info@apt1.com.au]
Sent: Monday, 27 March 2017 4:18 PM
To: s.73 irrelevant information @ehp.qld.gov.au>
Cc: s.73 irrelevant informat (Abbot Point - Terminal 1) <s.73 irrelevant info@apt1.com.au>; s.73 irrelevant info (Abbot Point -

Terminal 1) [s.73 irrelevant information]@apt1.com.au>; [s.73 irrelevant information]@ehp.qld.gov.au>

Subject: RE: TEL application comments

Hi [s.73 irre]

Please see comments and map below

Cheers

Regards

[s.73 irrelevant informa]

[s.73 irrelevant information]
Adani Abbot Point Coal Terminal

Office +[s.73 irrelevant information]

Fax +61 7 4786 0305

[s.73 irrelevant information]@apt1.com.au



Thinking big
Doing better

Our values: **Courage, Trust and Commitment**

From: [s.73 irrelevant information]@ehp.qld.gov.au]

Sent: Monday, 27 March 2017 3:37 PM

To: [s.73 irrelevant information] (Abbot Point - Terminal 1)

Subject: TEL application comments

Hi [s.73 irre]

As per our discussion about the TEL application earlier, some of the points that you must provide clarification on (in addition to what was discussed) includes:

- The conditions that may be breached. It appears that conditions A9 and F6 do not need to be varied, given what you have described on the phone. As such, the TEL application should vary the following conditions: F1, F2, F3, H1 and H2. Could you make it clear in the application (email is fine) how these conditions are proposed to be varied? [Please see email just sent through](#)
- A description where the water will be discharged (i.e. coordinates for the proposed spill location), and how it will be discharged from that point (i.e. uncontrolled release – is there a spillway where the water will spill from, or is it just a wall – how do you know where the water will spill from the primary settlement pond?) [Please see email just sent through, no water will be released directly from the Primary Settlement Ponds \(PSP\) to off site. Water flows from the PSP to the Secondary Settlement Pond \(SSP \(W1\)\) to be released from site under the EA from location W1.](#)
- What parameters can the remote monitoring station measure? [pH and Standing water level in the SSP](#). Where exactly is this remote monitoring station [at W1](#), and particularly, where is this monitoring station in regards to the release of water [at the same location](#)?
- Approximately what rate will the water spill at, if you know this? And, will there be potential sediment/erosion problems? [Flow would be as fast as the rainfall being received and no soil erosion as the spillway is rock lined and the gradient is low](#)
- Does Lake Calley currently have water in it (i.e. what is the current state of the receiving environment?) [The lake its self has water in it but these wet locations are further away from the release point. Please see map below.](#)
- Include a description of the water storage areas on site, including water movement on site. [SSP currently empty. PSP approx. 50% full. Sites Water Management System can hold 363 ML](#)

Please see map to below to assist with understanding the conditions of Lake Caley – the purple outline is the extend of Lake Caley in the proximity of APB



Kind regards,



s.73 irrelevant info

Senior Environmental Officer (Assessment)
Business Centre (Coal) | Coal and Central Qld Compliance
Department of Environment and Heritage Protection

P s.73 irrelevant

99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720



...make the move

The information in this email together with any attachments is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. There is no waiver of any confidentiality/privilege by your inadvertent receipt of this material.

Any form of review, disclosure, modification, distribution and/or publication of this email message is prohibited, unless as a necessary part of Departmental business.

If you have received this message in error, you are asked to inform the sender as quickly as possible and delete this message and any copies of this message from your computer and/or your computer system network.

Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.

Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.

Published on DES Disclosure Log
RTI Act 2009

From: [s.73 irrelevant information]@ehp.qld.gov.au]
Sent: Wednesday, 29 March 2017 8:35 AM
To: [s.73 irrelevant information]
Subject: FW: Temporary Emissions Licence
Attachments: W2.JPG

[s.73 irrelevant information]

Team Leader (Assessment)
Coal and Central Queensland Compliance
Department of Environment and Heritage Protection

P [s.73 irrelevant information]

99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720

-----Original Message-----

From: [s.73 irrelevant information] Abbot Point - Terminal 1) [mailto:[s.73 irrelevant information]@apt1.com.au]
Sent: Tuesday, 28 March 2017 4:54 PM
To: [s.73 irrelevant information]
Subject: RE: Temporary Emissions Licence

Thanks [s.73 irrelevant information]

Glad to hear you are not in Mackay

If the rain intensity is greater than the pumping capacity or the pump has been damaged we will release from W2. Releases from this location are small in volume however the TSS is always greater than 30mg/L (approx between 500+ to 900 from memory!) as this location is actually a sump and prior to any treatment process (a historical legacy discharge location). The receiving environment is the beach directly below the Sample plant - please see pic attached. Pump size was purchased based on historical site rain intensities however the terminal hasn't had a cyclone of this category come this close since the 1950's

There is rock lined sediment traps and vegetation that acts as a filter. When we have released from this location in non cyclone events but heavy rain intensity there is no coal fines evident on the beach on inspection. The water often rises to the limit of the sump with a small amount entering the rock sediment traps which are located on the outside of the boundary fence (off site).

The pH won't be an issue as site water sits between 6-9 and we are receiving rainfall which will be neutral

If W2 can be included in the TEL for the TSS limit that would be great

Thanks again - [s.73 irrelevant information] and I'm amazed I have connection seeing power is out

Cheers

-----Original Message-----

From: [s.73 irrelevant information] ehq.qld.gov.au]
Sent: Tuesday, 28 March 2017 4:37 PM
To: [s.73 irrelevant information] (Abbot Point - Terminal 1)
Subject: RE: Temporary Emissions Licence

Hi [s.73 irrelevant information]

Can you also please provide a bit of detail as to why you need that release point. What water and the condition of that water that will be released from W2 and what is the receiving environment and what will the impact of the release on that water?

Just give me a little detail and we can include and update TEL.

Are you okay up there? We are in Emerald so all good here.

Ciao for now

s.73 irre

s.73 irrelevant inform

Team Leader (Assessment)
Coal and Central Queensland Compliance
Department of Environment and Heritage Protection

s.73 irrelevant info

99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720

-----Original Message-----

From: s.73 irrelevant info (Abbot Point - Terminal 1) [mailto:s.73 irrelevant info@apt1.com.au]
Sent: Tuesday, 28 March 2017 4:34 PM
To: s.73 irrelevant information
Subject: RE: Temporary Emissions Licence

Hi s.73 irre

Yes please

Conserving phone power but laptop is fully charge and amazingly I can still connect woohoo

Co ords for W2 are
E 612781.48
S 7801060.72

Thank you

I hope you are all ok in Mackay

-----Original Message-----

From: s.73 irrelevant information [mailto:s.73 irrelevant info@ehp.qld.gov.au]
Sent: Tuesday, 28 March 2017 10:18 AM
To: s.73 irrelevant info (Abbot Point - Terminal 1)
Cc: s.73 irrelevant information
Subject: RE: Temporary Emissions Licence

Hi s.73 irre

Could you please contact us if W2 is still required.

Ciao for now

s.73 irre

s.73 irrelevant inform

Team Leader (Assessment)
Coal and Central Queensland Compliance
Department of Environment and Heritage Protection

p s.73 irrelevant ii

99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720

-----Original Message-----

From: s.73 irrelevant info (Abbot Point - Terminal 1) [mailto:s.73 irrelevant info@apt1.com.au]
Sent: Monday, 27 March 2017 6:54 PM
To: s.73 irrelevant info
Cc: s.73 irrelevant information
Subject: RE: Temporary Emissions Licence

Hi s.73 irr

Sorry I just noticed W2 wasn't included in the TEL, is it possible to include this location? W2 also has a compliance limit of 30mg/L for TSS

Cheers

-----Original Message-----

From: s.73 irrelevant information [mailto:s.73 irrelevant info@ehp.qld.gov.au]
Sent: Monday, 27 March 2017 6:51 PM
To: s.73 irrelevant info (Abbot Point - Terminal 1)
Cc: s.73 irrelevant information
Subject: Re: Temporary Emissions Licence

No worries, s.73 irr Stay safe and feel free to give me a call on my mobile at any time if you we can provide advice/assistance. Cheers s.73 irr

s.73 irrelevant ii

Manager Environmental Services
Business Centre (Coal) | Coal and Central Queensland Compliance Department of Environment and Heritage Protection s.73 irrelevant information
s.73 irr

99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720

On 27 Mar 2017, at 6:48 pm, s.73 irrelevant info (Abbot Point - Terminal 1) s.73 irrelevant info@apt1.com.au <mailto:s.73 irrelevant info@apt1.com.au>> wrote:

Thank you very much s.73 irr once back in site I will provide an update on our status

From: s.73 irrelevant information [mailto:s.73 irrelevant info@ehp.qld.gov.au]
Sent: Monday, 27 March 2017 6:13 PM
To: s.73 irrelevant info (Abbot Point - Terminal 1)
Cc: s.73 irrelevant information
Subject: Temporary Emissions Licence

Hi s.73 irr

Please find attached the TEL for Abbot Point Terminal 1.

Kind regards,

<image005.png>

s.73 irrelevant info

Senior Environmental Officer (Assessment) Business Centre (Coal) I Coal and Central Qld Compliance Department of Environment and Heritage Protection

P s.73 irrelevant

99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720

<image007.png><<http://www.ehp.qld.gov.au/connect/>>
...make the move

The information in this email together with any attachments is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. There is no waiver of any confidentiality/privilege by your inadvertent receipt of this material.

Any form of review, disclosure, modification, distribution and/or publication of this email message is prohibited, unless as a necessary part of Departmental business.

If you have received this message in error, you are asked to inform the sender as quickly as possible and delete this message and any copies of this message from your computer and/or your computer system network.

Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.

Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.

Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.

Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.



From: [s.73 irrelevant information]@ehp.qld.gov.au]
Sent: Wednesday, 29 March 2017 8:35 AM
To: [s.73 irrelevant information]
Subject: FW: Temporary Emissions Licence

FYI

[s.73 irrelevant information]

Team Leader (Assessment)
Coal and Central Queensland Compliance
Department of Environment and Heritage Protection

p [s.73 irrelevant information]

99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720

-----Original Message-----

From: [s.73 irrelevant information] (Abbot Point - Terminal 1) [mailto:[s.73 irrelevant information]@apt1.com.au]
Sent: Tuesday, 28 March 2017 4:34 PM
To: [s.73 irrelevant information]
Subject: RE: Temporary Emissions Licence

Hi [s.73 irrelevant information]

Yes please

Conserving phone power but laptop is fully charge and amazingly I can still connect woohoo

Co ords for W2 are
E 612781.48
S 7801060.72

Thank you

I hope you are all ok in Mackay

-----Original Message-----

From: [s.73 irrelevant information]@ehp.qld.gov.au]
Sent: Tuesday, 28 March 2017 10:18 AM
To: [s.73 irrelevant information] (Abbot Point - Terminal 1)
Cc: [s.73 irrelevant information]
Subject: RE: Temporary Emissions Licence

Hi [s.73 irrelevant information]

Could you please contact us if W2 is still required.

Ciao for now

[s.73 irrelevant information]

s.73 irrelevant inform

Team Leader (Assessment)
Coal and Central Queensland Compliance
Department of Environment and Heritage Protection

P s.73 irrelevant ir

99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720

-----Original Message-----

From: s.73 irrelevant info (Abbot Point - Terminal 1) [mailto:s.73 irrelevant info@apt1.com.au]

Sent: Monday, 27 March 2017 6:54 PM

To: s.73 irrelevant info

Cc: s.73 irrelevant information

Subject: RE: Temporary Emissions Licence

Hi s.73 irre

Sorry I just noticed W2 wasn't included in the TEL, is it possible to include this location? W2 also has a compliance limit of 30mg/L for TSS

Cheers

-----Original Message-----

From: s.73 irrelevant information [mailto:s.73 irrelevant information@ehp.qld.gov.au]

Sent: Monday, 27 March 2017 6:51 PM

To: s.73 irrelevant info (Abbot Point - Terminal 1)

Cc: s.73 irrelevant information

Subject: Re: Temporary Emissions Licence

No worries, s.73 irr Stay safe and feel free to give me a call on my mobile at any time if you we can provide advice/assistance. Cheers s.73 ir

s.73 irrelevant ir

Manager Environmental Services
Business Centre (Coal) | Coal and Central Queensland Compliance Department of Environment and Heritage Protection s.73 irrelevant information
s.73 irrele

99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720

On 27 Mar 2017, at 6:48 pm, s.73 irrelevant info (Abbot Point - Terminal 1) s.73 irrelevant info@apt1.com.au <mailto:s.73 irrelevant info@apt1.com.au>> wrote:

Thank you very much s.73 irre once back in site I will provide an update on our status

From: s.73 irrelevant information [mailto:s.73 irrelevant information@ehp.qld.gov.au]

Sent: Monday, 27 March 2017 6:13 PM

To: s.73 irrelevant info (Abbot Point - Terminal 1)

Cc: s.73 irrelevant information

Subject: Temporary Emissions Licence

Hi s.73 irre

Please find attached the TEL for Abbot Point Terminal 1.

Kind regards,

<image005.png>

s.73 irrelevant info

Senior Environmental Officer (Assessment) Business Centre (Coal) I Coal and Central Qld Compliance Department of Environment and Heritage Protection

p s.73 irrelevant i

99 Hospital Road, Emerald QLD 4720
PO Box 3028, Emerald QLD 4720

<image007.png><<http://www.ehp.qld.gov.au/connect/>>
...make the move

The information in this email together with any attachments is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. There is no waiver of any confidentiality/privilege by your inadvertent receipt of this material.

Any form of review, disclosure, modification, distribution and/or publication of this email message is prohibited, unless as a necessary part of Departmental business.

If you have received this message in error, you are asked to inform the sender as quickly as possible and delete this message and any copies of this message from your computer and/or your computer system network.

Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.

Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.

Important Notice: This e-mail message is intended to be received only by persons entitled to receive the confidential information it may contain. Email messages may contain information that is confidential and legally privileged. Please do not read, copy, forward or store this message unless you are the intended recipient of it. If you have received this message in error, please forward it to the sender and delete it completely from your computer system.